QUALITY | INNOVATION | SATISFACTION

Featured Items

FALL & WINTER 2026



HAND TOOLS | ELECTRICAL | TIRE REPAIR

SPECIALTY TOOLS | LIFT EQUIPMENT | AUTO BODY

LIGHTING | SHOP & GARAGE | OIL CHANGE

PT® Performance Tool

PT POWER | Northwest Trail | VORTEX™

20V LI-ION 1/2" BRUSHLESS HAMMER DRILL

W7722*
Inner: 1 Master: 5

- Powerful BL4820 brushless motor delivers 708 in./lb. (80 Nm) of torque for the toughest jobs and outstanding runtime
- 1/2 in. Single-sleeve keyless metal chuck
- 2-speed all-metal transmission lets you choose between 0-450 RPM for high-torque driving or 0-2000 RPM for high-speed drilling depending on the application
- 21+2 Ratcheting clutch can adjust the driving torque to avoid stripping/breaking fasteners or use the drilling/impact modes to apply maximum torque
- Impact/Hammer drill mode delivers up to 30,000 IPM for fast drilling
- 20V 2.0 Ah Lithium-Ion battery, with power level indicator, and 1-hour quick charger
- CE, cETLus listed charger- 3159543



20V LI-ION 1/2" BRUSHLESS IMPACT WRENCH

W7720*
Inner: 1 Master: 5

- Powerful 20V brushless motor delivers up to 295 ft. lb. (400 Nm) of forward and 375 ft. lb. (508 Nm) of "nut busting" reverse torque
- Advanced electronic motor control provides 4-speed/torque settings
- Optional Auto-Stop function works in reverse to deliver full breakaway torque
- 20V 2.0 Ah Lithium-Ion battery, with power level indicator, and 1-hour quick charger
- Specifications: Drive: 1/2 in. Square drive w/friction ring, Motor: 20V 4815 Brushless, 4-Speed/Impact settings: 0-600/800, 1200/1600, 1800/2400, 2400/3200 RPM/IPM
- CE, cETLus listed - 3159543



20V LI-ION BATTERY

- 20V 2.0Ah Li-Ion replacement battery for Performance Tool branded 20V li-ion power tools - models W7720 and W7722
- Built-In power level indicator
- NOTE: Will not work with other brands of power tools

2.0AH - W7723*
Inner: 1 Master: 25

4.0AH - W7724*
Inner: 1 Master: 25



20V CORDLESS HIGH VOLUME GREASE GUN

- 20V Motor and high-volume pump deliver up to 10 oz. per minute and a maximum pressure of 10,000 PSI
- Variable 5-Speed selector dial gives you the control of using maximum pressure
- Heavy gauge steel barrel with easy-grip knurling holds all standard 14 oz. grease cartridges and can hold up to 16 oz. of grease using suction or bulk loading
- Pressure release valve is preset at 10,000 PSI to prevent excessive pressure build-up and avoid gear/ motor damage
- Built-in hose dock is a great feature to keep your grease hose restrained when moving from job to job and when stored
- 130 Lumen LED work light for great visibility in dark environments
- Kit includes: Cordless grease gun, 48 in. flexible hose, 4-jaw coupler, 20V 2.0Ah Li-ion battery, charger, and shoulder strap

W7721*
Inner: 1 Master: 4



1/4" CORDLESS RATCHET 4V LI-ION



NEW

- 4V Cordless 1/4 in. ratchet with ball bearing socket retention is lightweight, compact, and easily fits into tight spaces where turning a wrench is all but impossible
- 0-230 RPM variable speed trigger provides greater control
- Motor delivers 92 in./lb. (15 Nm) of max torque
- Built-in 2.0Ah Li-Ion battery provides extended run time and recharges in about 90 min.



USB-C

W7731*
Inner: 1 Master: 20

2-IN-1 DRIVER/LIGHT 4V LI-ION





- This 4V Li-ion Cordless Screwdriver has a 2-position swivel handle for a pistol grip or straight in-line for tight spaces
- 1/4 in. Hex drive rapid change chuck features an adjustable 15+1 clutch to deliver the right amount of torque needed
- Tool can be charged from any USB outlet by plugging into the USB-C port at the base of the tool, eliminating the need to use a dedicated charger (cord included)
- 1/4 in. hex and 1/4 in. square drive, 2 in. long extensions are included
- Specifications: Battery: 4.0V 1.3 Ah Lithium-Ion, RPM: 210, Chuck: 1/4 in. Hex drive, Max. Torque: 40 in. lb. (4.5 Nm), Charging input: USB-C, Charging time: 1.5 hour

DUAL POSITION

USB-C

W7730*
Inner: 1 Master: 20

POWER TOOL STORAGE RACKS

- This sturdy organizer can be mounted on the wall and provides ample storage for your tools
- The 3 levels of storage easily fit 4 (W7701) or 7 (W7703) power tools, chargers, batteries, and accessories helping to keep everything together and easy to grab when needed
- The heavy 9-gauge steel frame, fully welded shelves, and 5 mm thick wire will support up to 100 lb.
- The tough baked-on powder-coated finish will look great and prevent corrosion in a home or garage
- 21 (W7701) or 34 (W7703) holes along the back of the top shelf can be used to store screwdrivers or other accessories





16" - W7701*

Inner: 1 Master: 8

- *The 2 sets of mounting holes are 15.1 in. apart and will align with both peg board or standard wall studs*
- *Rack measures: 15.7 in. W x 7.3 in. D x 8.4 in. tall. 5.1 in.*

26" - W7703*

Inner: 1 Master: 4

- *The 2 sets of mounting holes are 25.875 in. apart and will work well for mounting to standard peg board hole spacing*
- *Rack measures: 26.5 in. W x 7.3 in. D x tall 8.4 in.*

17" POWER TOOL STORAGE RACK

- The 5 levels of storage can easily fit 8 power tools, chargers, batteries, and accessories to help keep everything together for easy access
- The heavy 9-gauge steel frame and welded 5 mm thick wire loops will support up to 200 pounds of total storage
- The 4 pairs of mounting holes are 15.875 in. (39.5 cm) apart for mounting into wall studs
- 1/4 in. peg holes on the sides accommodate standard peg board hooks and accessories to expand storage options (hooks not included)
- Rack measures: 16.875 in. W x 8.75 in. D x 30.25 in. T. (42.8 x 22.2 x 76.8 cm); 6.875 in. (17.5 cm) between shelves, 3.3 in. (8.4 cm) above, and 9.5 in. between the two power tool bays

W7704*

Inner: 1 Master: 3





ASSEMBLE IN A STACK OR SIDE BY SIDE CONFIGURATION

2 PC. ZIRCONIA 4.5" VENTED FLAP DISC

- Type-29 zirconia alumina abrasive flap disc with a 5/8 in.-11 integrated center hub for use with corded and cordless angle grinders
- Premium zirconium abrasive is a self-sharpening grain that lasts up to 5X longer
- Vent-enhanced plastic backer design helps to circulate air and reduce heat build-up to extend service life
- Designed to work best under high pressure for grinding, stock removal, edge chamfering, beveling, weld blending, and polishing
- Maximum speed: 13,300 RPM; Optimal working speed range is 4000 - 6000 RPM



NEW



VENTED DESIGN

40G - W3061*

Inner: 6 Master: 60

80G - W3064*

Inner: 6 Master: 60

60G - W3063*

Inner: 6 Master: 60

120G - W3065*

Inner: 6 Master: 60

9-STEP TITANIUM HSS DRILL BIT

NEW

- Titanium nitride coated high speed steel
- Double-flute design reduces chatter and automatically deburrs holes as you drill
- Laser engraved with each hole diameter sizes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, and 3/4 in.





W7778*

Inner: 6 Master: 36

36 PC. IMPACT BIT SET

- Black phosphate coating provides maximum strength and corrosion resistance
- Constructed from high strength S2 steel
- Precision CNC cut tips for optimal fastener grip
- Contents: (22) 1 in. (25 mm) driver bits: PZ2 (4), S2 (3) #2 (5), #3 (3), T20 (4), T25 (3), (8) 2 in. (50 mm) driver bits: PZ2 (3), #2 (3), S2 (2), 2-3/4 in. (70 mm) #2, 3-1/2 in. (89 mm) #2
- Drivers included: 2-1/2 in. (60 mm) bit extension, 1/4 in. magnetic nut driver, 1/4 in. Dr. socket adapter and bit magnetizer

NEW





W7775*

Inner: 12 Master: 48

22 PC. TITANIUM COATED HSS DRILL BIT SET

NEW

- Drill bits are made from #4241 high-speed steel (HSS) and coated with titanium-nitride to reduce heat, keeping the 118-degree split cutting edge sharper, longer
- 21 different bit sizes from 1/16 to 3/8 in. included: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8 in.



W7779*

Inner: 4 Master: 36

13 PC. COBALT DRILL BIT SET

- Made of premium M35 5% Cobalt HSS that provides extended edge sharpness as compared to ordinary drill bits when drilling hard materials
- Suitable for tough, high tensile strength material, such as stainless steel, cast iron, high temperature alloy, titanium alloy, hard plastics, and woods
- Drill bit sizes: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 15/64, 1/4 in
- Indexed storage case included to keep your bits organized



NEW



W7776*

Inner: 10 Master: 60

*California Residents
Prop 65 warnings see page 24.

DIAMOND TIP BIT SETS

- Constructed from high strength impact grade S2 steel
- Precision CNC cut tips for optimal fastener grip
- Black phosphate coating provides maximum strength and corrosion resistance
- Diamond coated tips provide superior gripping power to resist slippage and allow for greater torque - 2X better grab than standard screwdrivers



COLOR CODED ICONOGRAPHY

Phillips — DIAMOND

Square — DIAMOND

Star — DIAMOND

Mixed — DIAMOND

NEW







Style	Part Number	Qty	Length	
			2"	6"
Phillips	W7764	5 pc.	PH1, PH2, (3) PH3	-
Star	W7766	5 pc.	T10, T15, T20, T25, T30	-
	W7769	8 pc.	T15, T20, T25, T27, T30, T40	T25, T30
Square	W7765	5 pc.	SQ1, (2) SQ2, (2) SQ3	-
	W7767	7 pc.	SQ1, (2) SQ2, SQ3	SQ1, SQ2, SQ3
Mixed	W7768	10 pc.	PH1, (2) PH2, SQ1, SQ2, SQ3, T15, T20, T25, T30	-

STANDARD TIP BIT SETS

NEW

- Constructed from high strength impact grade S2 steel
- Precision CNC cut tips for optimal fastener grip
- Black phosphate coating provides maximum strength and corrosion resistance





HARDWARE



AUTOMOTIVE



VERSATILE



COLOR CODED ICONOGRAPHY

Phillips

Hex

Slotted

Square

Star

Mixed



Style	Part Number	Qty	Length		
			1"	2"	6"
Phillips	W7750	5 pc.	(2) PH1	(3) PH1	-
	W7751	5 pc.	(2) PH2	(3) PH2	-
	W7761	8 pc.	-	(2) PH1, (2) PH2, (2) PH3	PH1, PH2
Slotted	W7752	5 pc.	(2) SL6	(3) SL6	-
Star	W7754	5 pc.	(2) T15	(3) T15	-
	W7755	5 pc.	(2) T20	(3) T20	-
	W7756	5 pc.	(2) T25	(3) T25	-
	W7757	5 pc.	(2) T30	(3) T30	-
	W7760	8 pc.	-	T15, T20, T25, T27, T30, T40	T25, T30
Square	W7753	5 pc.	(2) SQ2	(3) SQ2	-
	W7759	7 pc.	-	SQ1, (2) SQ2, SQ3	SQ1, SQ2, SQ3
Hex	W7773	10 pc.	-	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 in.	-
	W7774	10 pc.	-	1.5, 2, 2.5, 3, 3.5, 4, 5, 6, 7, 8mm	-
Mixed	W7758	10 pc.	-	PH1, (2) PH2, S1, S2, S3, T15,T20, T25, T30	-

*California Residents
Prop 65 warnings see page 24.

HEAVY DUTY SHOP TABLE

- 60 in. (152.4 cm) heavy duty all steel work bench
- Adjustable feet for leveling on uneven surfaces
- Ultra durable powder-coated finished
- Full length bottom shelf
- Heavy gauge steel construction with high grade fasteners
- 1400 lb. (635 kg) weight capacity
- Raised lip on three sides of the top to prevent parts and liquids from rolling away



W54991*
Inner: 1 Master: 1





FOUR SHELF PLASTIC STORAGE RACK

NEW

- Four-tier shelving holds up to 160 lb. (72 kg) to save space in your workshop or garage - 40 lb. (18 kg) per shelf
- Tough polypropylene construction won't dent, rust, or corrode
- Compact design is lightweight, portable, and fits in any corner of your work area
- Rugged polypropylene shelves measure 23 in. (58 cm) x 12 in. (30 cm)
- Plenty of space with 15 in. (38 cm) height between shelves
- Overall Dimensions 53-1/4 in. H x 23-1/2 in. W x 12 in. D (135.3 x 59.7 x 30.5 cm)



W54993*
Inner: 1 Master: 1

HEAVY DUTY 1/4" THICK RUBBER WORK MAT

NEW

- Heavy duty 1/4 in. (6.35 mm) thick rubber construction
- Made from 100% recycled rubber
- Cutouts on the top of the mat for organizing parts of your project
- Large 30 in. (762 mm) x 20 in. (508 mm) size to cover all type of projects
- Extra thick rubber provides strong and stable work surface
- Mat provides protection to your bench and the project you are working on





W88960*
Inner: 4 Master: 12



NEOPRENE PROTECTIVE WORK MAT

- Oversized mat provides a protected work space on your work bench, kitchen table or computer desk space
- Neoprene construction is chemical resistant to protect your work surface from cleaning solvents, oils and dirt
- Ruler with standard / metric measurements and several reference charts including SAE/Metric, fluid, and oil to gas ratios have been printed on the mat using long lasting heat transfer sublimation
- Fully stitched edge prevents fraying to keep your mat serviceable and looking good
- Exact Measurements: 16" x 35.75 x 1/8" thick





W88977*
Inner: 12 Master: 24

STEEL HAND TRUCK

- Heavy duty design, 18 gauge 1" steel tube frame
- Durable powder coated finish
- 10" 2-Ply pneumatic tires
- Extra large 14 x 7-1/2" toe plate
- 600 lbs. load capacity

W41060*
Inner: 1 Master: 1





700W VARIABLE SPEED SHOP BLOWER

- Amazing blowing power in a compact, easy to handle size
- Variable speed feature allows you to select just the right amount of power
- Two piece nozzle can be used at 9 inches or 18 inches
- Comfortable handle with oversized lockable trigger
- Specs: 120 V AC, 60Hz, 700W, 5.8 AMPs, 17,000 max RPM, 90 MPH (145KPH) air speed, 100 CFM





W50069*
Inner: 1 Master: 4

PNEUMATIC SWIVEL BAR STOOL

- Pneumatic action adjusts seat height from 26" to 32" quickly and easily
- 14" diameter synthetic leather foam padded seat with 360° swivel
- Heavy duty steel tubing frame with matte black powder coated finish
- Wide foot stool base comes pre-assembled
- 330lb weight capacity (150kg)
- Assembled dimensions: 16.75 inches deep, 16 inches wide, 30.5-36 inches high (42.5 x 40.6 x 77.5 to 91.4cm)

W85011*
Inner: 1 Master: 1





1800W COMPACT HEAT GUNS

NEW

- Double wire heating coils wrapped around ceramic elements and a mica insulative sleeve provide consistent heat, extended run times, and fast heat up in under 2 seconds
- New compact design is 20% smaller than traditional heat guns
- Innovative case design provides a highly stable, upward-facing position for hands-free use
- 100% Copper motor windings provide higher efficiency, low noise. and a longer service life
- Integrated thermal relay prevents overheating or damaging motor, and assures safe operation
- Kit includes 4 different nozzle adapters, air spreader, reducer, scraper, and deflector
- 56 in. (142 cm) power cord, with polarized 2-prong plug is UL listed to U.S. and Canadian standards







ADJUSTABLE W7735*

Inner: 1 Master: 20

- 1800W Heat gun with temperature adjustment dial, varies the heat output between 122 - 662° F or 122 - 1202° F (50-350° C or 50-650° C), ensuring precise control and professional results

2-SPEED W7734*

Inner: 1 Master: 20

- 1800W 2-Speed heat gun delivers temperatures of 662/ 1202°F (350/ 650°C), in about 2 seconds, and air flow of 10.6/ 17.7 CFM (300/ 500L/ min.) for versatility

HEAT SHRINK SOLDER CONNECTORS

- Fast and easy, just a heat source is needed to melt the solder creating a secure connection
- Connectors use hot melt adhesive combined with shrink tubing to create a waterproof seal
- Use on cars, trucks, motorcycles, off-road vehicles, marine applications and much more
- Specifications: Shrinking ratio: 2:1, Working temperature 131-257° F (55-125° C)
- Shrinkage starts at 176° F (80° C), Solder dissolves at 280° F (138° C)





120 PC. W5290*

Inner: 8 Master: 80

Includes: 30 pcs. White (AWG 26 – 24), 40 pcs. Red (AWG 22 – 18), 40 pcs. Blue (AWG 16 – 14) and 10 pcs. Yellow (AWG 12 – 10)

250 PC. W5291*

Inner: 6 Master: 60

Includes: 40 pcs. White (AWG 26-24), 100 pcs. Red (AWG 22-18), 90 pcs. Blue (AWG 16-14) and 20 pcs. Yellow (AWG 12-10)



80W DIGITAL SOLDERING IRON KIT

- High-performance 80W/110V ceramic heating element rapidly heats up in 10 sec., reaching maximum temperature in 40 sec
- LED display provides precise control to select temperatures between 356 - 896 °F (180 - 480 °C), and an intelligent monitoring system to maintain the programmed temperature
- Kit includes: Soldering iron, 6 different zinc-plated brass soldering tips, solder, rosin paste, and a folding wire stand with sponge for cleaning off tips
- 3 ft. (0.91 M) SVT 2x18AWG power cord with a Polarized 2-prong power cord; UL listed #E212588



W2084*

Inner: 12 Master: 48

LI-ION CORDLESS HEAT GUN

- The most compact rechargeable cordless heat gun on the market is only 4.8 ounces and lightweight enough to carry in your tool belt or repair kit
- Heats up to a maximum temperature of 600° F (315° C) within 10 seconds
- The built in 3.6v, 2.0Ah Lithium-Ion battery has a working time of 15-20 minutes
- Integrated overheating protection circuit will power down heating elements to protect tool and prevent damage



HEAT SHEILD INCLUDED



W2082*

Inner: 6 Master: 24

250-WATT SPACE HEATER

- The perfect supplemental heater for the office, table, kitchen counter, or workshop
- Specifications: Power: 120v AC/60htz @ 2.1amp = 250 watts, Heat Output: 853 BTUs , Dimensions: 5 x 5 x 2.8 in. (12.6 x 12.6 x 7.1cm), Weight: 1 lbs. (0.45 Kg), cETL listed: #4003575





120V volt

W5011*

Inner: 1 Master: 6

1500-WATT INFRARED SHOP HEATER

- Infrared technology heats up the person or object rather than the air
- Adjustable thermostat levels for optimum indoor and outdoor comfort and automatic overheating shut-off
- High quality and durable aluminum housing
- Mount to wall or ceiling with included adjustable hanging brackets
- 8-ft grounded cord
- cETL listed 4006887





120V volt

W5008*

Inner: 1 Master: 1

1500-WATT CERAMIC SPACE HEATER

- With 3 settings, high-1500w, low-750w, and fan only, the heater puts out up to 5120 BTUs and is perfectly suited for a small workshop, garage or work space
- The 120 volt, 12.5 amp heating element has built-in safeguards including an overheat protection sensor with warning light and automatic power disconnect in case of thermostat failure
- Easily move heater using the integrated carry handle on the top
- Standard 6 ft. 3 prong power cord allows greater range of mobility
- Measures: 11" tall, 8.25" wide, and 8.5" deep and weighs 4.5 lbs
- cETL listed #70-0546

120V volt







W5010*

Inner: 1 Master: 4

*California Residents
Prop 65 warnings see page 24.

VORTEX™ Performance Tool®

TIRE INFLATOR PROGRAM

More Details at wilmarllc.com/vortex

SCAN FOR DETAILS



- Vortex tire inflators are equipped with an upgraded metal cylinders for faster heat dissipation, lower noise, and longer service life.
- Equipped with a 10 ft. (3 m) power cord and 18 in. (W7900) or 24 in. (W7901, W7902, W7903 & W7904) high-pressure braided air hose.
- Easy to use lever-locking air chuck is PMS tire sensor safe and includes 3 air adapters: sports ball needle, raft nozzle, and toy inflator.
- Built-in LED light turns on as soon as power is connected to verify connection and provide visibility.

ON-BOARD STORAGE
Keep your hose conveniently tucked away with a compartment for accessories.

Included: 3 pc. nozzle set & replacement 15A fuse



12V RAFT & TIRE INFLATOR

- Our most versatile 12v inflator has a 2-motor design for use with high pressure tires or larger inflatables.
- Inflates a standard 195/65/R15 car tire from 25 to 35 PSI in about 90 seconds and a completely flat tire to 35 PSI in under 6 minutes.
- 15 in. high-volume air hose and 2 size adapters are useful for inflating/deflating larger rafts, balls, mattresses or toys.

W7903*
Inner: 1 Master: 20

HIGH VOLUME



MAX READING OF 100 PSI

12V RAPID TIRE INFLATOR W/ LED LIGHT

- Inflates a standard 195/65/R15 car tire from 25 to 35 PSI in about 90 seconds and a completely flat tire to 35 PSI in under 6 minutes.
- Large, easy to read, pressure gauge



W7901*
Inner: 1 Master: 20

MAX READING OF 100 PSI



AC/DC POWERED TIRE INFLATOR W/ AUTO-STOP

MAX READING OF 100 PSI

- This versatile tire inflator / compressor can use either 120V AC outlet power or the 12V accessory outlet in your car.
- Inflates a standard 195/65/R15 car tire from 25 to 35 PSI in about 45 seconds and completely flat tire to 35 PSI in under 5 min.
- Bright LED digital pressure gauge is easy to read, day or night, and switches between PSI, bar, and kg/cm2.
- The digital gauge will automatically shut off the inflator when it reaches the preset value.

W7904*
Inner: 1 Master: 20

DIGITAL AUTO SHUT-OFF





12V DIGITAL TIRE INFLATOR W/AUTO-STOP

- Inflates a standard 195/65/R15 car tire from 25 to 35 PSI in about 90 seconds and a completely flat tire to 35 PSI in under 6 minutes.
- Bright LED digital pressure gauge is easy to read, day or night, and switches between PSI, bar, and kg/cm2 with a push of a button.
- The digital gauge will automatically shut off when it reaches the preset value.



W7902*
Inner: 1 Master: 20

MAX READING OF 100 PSI

DIGITAL AUTO SHUT-OFF



DUAL CYLINDER 12V DIGITAL TIRE INFLATOR

DIGITAL AUTO SHUT-OFF

- Dual-cylinder design and heavy-duty motor produce 2.12 CFM and max. 150 PSI (10.3 Bar) and will fully inflate a standard 195/65/R15 car tire to 35 psi (2.4 bar) in about 2.5 minutes
- Included: Compressor, 15 ft. (4.5 m) coil air hose, battery clamp adapter, 3 pc. nozzle set, replacement fuse, and storage bag

NEW

W7905*
Inner: 1 Master: 6



12V COMPACT TIRE INFLATOR W/ LED LIGHT

- Inflates a standard 195/65/R15 car tire from 25 to 35 PSI in under 2 minutes and a completely flat tire to 35 PSI in 7 minutes.
- Large, easy to read, pressure gauge



W7900*
Inner: 1 Master: 20

MAX READING OF 60 PSI



Connect with us! TikTok

Limited to stock on hand.

VORTEX™ Performance Tool®

NEW

EMERGENCY ROADSIDE KITS

More Details at
wilmarllc.com/vortex-roadside-kits







22 PC. ESSENTIAL ROADSIDE ASSISTANCE KIT

NEW

- This roadside kit contains all the essential accessories for you to stay safe in an emergency
- Includes: 12V compact tire inflator, 10GA 8 ft. booster cables, 40 LM LED flashlight (AA battery included), snow/ice scraper, 10 in. (25 cm) cable ties, textured knit gloves, poncho, 3/4 in. (19 mm) x 24 ft. (7.2 m) electrical tape, snap-blade knife, 2-in-1 screwdriver, and 5-50 PSI pencil tire pressure gauge

EMERGENCY ESSENTIAL



W7911*
Inner: 1 Master: 6

44 PC. PREMIUM ROADSIDE ASSISTANCE KIT

NEW

- This roadside kit contains all the essential accessories for you to stay safe in an emergency
- Includes: 12V digital tire inflator, 10GA 8 ft. booster cables, 10 ft. (3 m) 4,000 lb. (1818 kg) break strength tow rope, compact folding shovel, 7 pc. tire repair kit, (10) 10 in. (25 cm) cable ties, knit gloves, reflective vest, snow/ice scraper, 14 pc. FDA approved first aid kit, snap-blade knife, 2-in-1 screwdriver, 6 in. (150 mm) slip joint pliers, 5-50 PSI pencil tire pressure gauge

W7913*
Inner: 1 Master: 4

EMERGENCY ESSENTIAL



33 PC. DELUXE ROADSIDE ASSISTANCE KIT

NEW

- This roadside kit contains all the essential accessories for you to stay safe in an emergency
- Includes: 12V rapid tire inflator, 10GA 8 ft. booster cables, 10 ft. (3 m) 4,000 lb. (1818 kg) break strength tow rope, 40 LM LED flashlight (battery included), 10 pc. nut-driver & socket set (9 metric sizes 5-13 mm) w/ driver, #2 Phillips and 1/4 in. slotted screwdrivers, 3/4 in. (19 mm) x 24 ft. (7.2 m) electrical, snap-blade knife, textured knit gloves, emergency poncho, 10 pc. cable ties, and emergency blanket

EMERGENCY ESSENTIAL



W7912*
Inner: 1 Master: 4

PENLIGHT DIGITAL TIRE GAUGE

- Two tools in one Ð dual source penlight and digital tire gauge
- Dual power buttons allow independent operation of the tire gauge or the area light/spotlight
- Backlit pressure gauge display is easy to read, and measures pressure in PSI, BAR, Kpa, and Kg/cm2
- Tests pressure from 3 to 150 PSI with an accuracy of 0.5 PSI
- Convenient features like the pocket clip and magnetic back
- Specifications: 3-150 PSI +/- 0.5PSI, 180 lumen area light, 90 lumen spotlight, 5500K, 60 min. runtime, 3.7V 500mAh Li-ion battery, approximate 40 min. charging time @ 1A. Includes 40cm USB-C charging cord





W7910*
Inner: 12 Master: 48

16 OZ. TIRE SEALANT

- Plant-based blend uses natural leaf microfibers to create a strong sealing mesh, is 100% non-toxic and latex-free, and lasts up to 6 months
- Anti-Freeze formula maintains fluidity down to -4° F (-20° C) and withstands heat up to 140° F (60° C) making it ideal for everyday vehicles and snow blowers, winter use, or equipment stored in unheated garages

Note: not designed for TPMS sensors connected to the valve core





NEW

W7966*
Inner: 6 Master: 36

QUICKLY FIX FLAT TIRES

30 PC. SCREW IN TIRE PLUG KIT

- Quickly fix flat tires and get rolling with this emergency tire plug kit that includes two sizes of TPMS-safe plugs and a two-sided screwdriver.
- Includes 15 Small (4 mm / 5/32 in.) and 15 Large (6 mm / 7/32 in.) emergency screw-type tire plugs



W7920*
Inner: 12 Master: 144

*California Residents
Prop 65 warnings see page 24.

ELECTRICAL CONNECTOR RELEASE TOOL

NEW

- Use to easily disconnect electrical connectors used on most vehicles today
- Low profile fits connectors without damaging them or breaking off parts of the clip
- Use on Weather Pack and other comparable automotive electrical connectors
- Two different ends: straight forks to push the connector together, and hooked forks to pull the electrical connector apart
- Corrosion resistant zinc finish with a non-slip cushion grip
- Overall length: 7.5 in. (19 cm)



HOOKED FORKS

W86575*
Inner: 12 Master: 72

ADJUSTABLE JAW ELECTRICAL DISCONNECT PLIERS

NEW

- Easily removes the single and double push tab style electrical connectors found on many vehicles
- Jaws adjust to five different positions allowing easier access to electrical connectors
- The unique design allows the technician to use the tool with one hand, freeing up the other
- Adjustable jaws work well when very limited or confined space is available
- Heavy-duty steel construction with ergonomic red vinyl handle grip for comfort
- Application: mass air flow sensors, fuel injectors, ignition coils, and instrument clusters



SINGLE/DOUBLE TAB
W86567*
Inner: 6 Master: 72



11-13/16 IN. LENGTH

10-1/2 IN. LENGTH



LOCKING TAB
W86562*
Inner: 6 Master: 48



CLAMPING SERPENTINE BELT GRABBER



- Long reach tool aids in removal and installation of serpentine belts, V belts and timing belts
- One handed operation keeps your other hand free to manage dealing with the tensioner
- Clamping jaws provide a tight grip, for positioning the serpentine belt without the belt slipping out
- Spring-loaded ergonomic grip with fingertip control and long reach allows belt routing in confined areas
- Powder-coated finish to protect against corrosion and harsh chemicals
- 26-1/2 in. (67.31 cm) extended, hardened steel frame for rigidity



W83998*
Inner: 1 Master: 24

NEW



26-1/2 IN. REACH

INJECTOR SOCKET SET FOR FORD 6.7L 17MM



- For quick damage-free removal/installation of Ford's Power Stroke 6.7L injectors
- 17 mm 3/8-inch drive 12 point socket set works for all years of the Ford diesels
- The long and short flare nut design removes various injector lines at any angle
- Use the long socket for the clearance required to properly torque the fuel lines
- High quality steel construction, built to withstand the high torque demands of diesel injector work

W80608*
Inner: 6 Master: 72



3/8

NEW

BRAKE PAD SPREADERS

- Quickly and efficiently retract single piston brake calipers, speeding up your brake pad replacement
- Use on single piston calipers found on most cars and trucks as well as ATVs, UTVs, and SUVs
- Powerful compression ratio, delivering approximately 370 ft/lb. (501 Nm) of force with each squeeze
- Made from high-quality aluminum alloy and steel with corrosion-resistant finishes



NEW

SINGLE PISTON
W80114*
Inner: 1 Master: 20

- The plunger provides a total travel distance 4 in. (101.6 mm)



ALUMINUM ALLOY



DUAL PISTON
W80115*
Inner: 1 Master: 16

- The plunger provides a total travel distance of 3 in. (76.2 mm)

PARKING BRAKE CABLE REMOVER



- Use to remove parking brake cable by compressing the retaining spring around the cable
- Slotted ends allow it to slide over parking brake cables without feeding it through the end
- Use with the cable released or still attached to the parking brake assembly
- Made of a high-quality steel pressed into a channel shape to resist bending
- Use on Ford F-Series, Expeditions, and Excursions

W80697*
Inner: 12 Master: 72



NEW

Connect with us! TikTok
Limited to stock on hand.

VARIABLE PIN SPANNER WRENCH



- Universal design ensures a fit to a wide variety of pulleys featuring slots or holes, including camshaft pulleys and crankshaft pulleys
- Designed to be used with a 1/2 in. drive ratchet or breaker bar
- Adjustable range from 1-1/4 in. to 5 in. (3.175 cm to 12.7 cm)
- Allows for metric dual-pin configurations: 3.5, 4, 4.5, 5, 6, 7, and 10mm

1/2

W83055*
Inner: 12 Master: 24

NEW



4-IN-1 FAN CLUTCH WRENCH



- This Universal Fan Clutch Wrench includes four of the most common sizes found on old and newer domestic cars and trucks, including Ford, GM, and Dodge vehicles and more
- Combines four sizes 1-9/16 in. (39 mm), 1-1/4 in. (32 mm), 1-7/16 in. (36 mm), and 1-7/8 in. (47/48 mm) to remove most clutch-type cooling fans
- Both sides have a 1/2 in. drive opening to attach a ratchet or breaker bar,
- Overall Length 14.8 in. (37.59 mm)

NEW



1/2

14-3/4 IN. LENGTH

W80503*
Inner: 12 Master: 24

POWER STEERING PUMP PULLEY PULLER KIT

- Works on power steering pulleys with Saginaw, Thompson, Ford C111 and C2 pumps
- Fits belt-driven vacuum pumps and press-on water pump pulleys of GM V6 engines
- Also includes the quick disconnect tool to remove the fluid lines
- Service: GM 3.1 L, 3100, 3400, and 3800 V6 engines, GM 2.3L Quad 4 four-cylinder engines and Ford 4.6L, 5.4L, and 5.8L modular V8 engines



NEW





W87019*
Inner: 1 Master: 10

5 PC. INTERCHANGEABLE PICKLE FORK SET

- Forks thread onto two different interchangeable steel driver handles
- Includes 11/16 in. tie rod, 15/16 in. ball joint, and 1-1/8 in. pitman arm separators
- Includes one hand driver, use with a hammer, and one for a pneumatic hammer with a 0.401 in. (10.2 mm) shank





W83053*
Inner: 1 Master: 10

NEW



PITMAN ARM SEPARATOR

- Remove Pitman arms from connecting links with this tool. Features a knurled shaft for better grip
- Use on many foreign and domestic autos and light trucks
- Removes pitman arm from connecting links
- Knurled shaft for better grip
- Drop forged steel construction
- Size: 3-1/8 in. (79.3 mm) depth, 1 -5/8 in. (41.2 mm) width

W1207*
Inner: 4 Master: 16

COMBUSTION LEAK DETECTOR

- Tests for combustion leaks caused by a blown head gasket, cracked head or a warped sealing surface
- Tool with testing fluid (not included) tests if there are exhaust gases, (CO_2), in the cooling system
- Tester uses a dual-chamber, which eliminates false positives and provides a high-precision test
- Easy to use - if the test liquid changes from blue to yellow or green, there is a combustion leak, indicating a damaged head gasket



W80756*
Inner: 10 Master: 40



NEW

TEST FLUID
BT600*
Inner: 1 Master: 12



12 PIN RAM AXLE NUT SOCKET

- Use to remove and install 12-lug Dodge Ram axle lock nuts with this CrMo steel socket
- Remove and reinstall retaining nut on 2019 and newer Ram 3500, 4500 and 5500 heavy duty trucks with 12 in. (30 cm) axles
- For use with 1/2 in. drive tools
- Ram Tool part number 2066600030
- Not for impact use

1/2

W83004*
Inner: 5 Master: 25

NEW



PLASTIC FASTENER TOOLS

- Quickly removes fasteners that hold on plastic and rubber parts on most vehicles. Including such as shrouds, fender linings , and weather stripping, and more
- Nickel plated shafts and heat treated to prevent corrosion

NEW

- 10 in. (25.4 cm) overall length, steel shaft with a comfortable cushion grip



URETHANE PIVOT

W85560*
Inner: 12 Master: 72

- 5 in. (12.7 cm) overall length with a striking cap and handy pocket clip

POCKET
W80748*
Inner: 10 Master: 40



DOUBLE ENDED
W83306*
Inner: 12 Master: 72

- Double ended, one side lifts the pin the other side removes the clip
- Zinc finish with a cushion grip. Overall length is 8 in. (20.3 cm)

LOW PROFILE



EXTENDED REACH

NEW

- Shafts are made of chrome vanadium steel, with a 45-degree forked tip
- Overall length of 19.68 in. (49 cm) makes reaching deep into fender and interior spots easier

19 IN.
W80761*
Inner: 12 Master: 24

*California Residents
Prop 65 warnings see page 24.

CLEAR VIEW™ FUNNEL Program



DISPLAY ITEMS

Sold in INNER QTY.



NEW

CLEAR VIEW EASY-FILL FUNNEL 1 GALLON

- Contoured designed provides an easy-to-carry handle for holding and positioning
- Vented nozzle and wide opening enable filling at a high velocity
- Mesh filter prevents larger contaminants from entering your tank, radiator, or engine
- Approximate capacity: 3500ml, 3.7 Quarts, 0.92 gallons, 118.3 ounces



W4051*
Inner: 1 Master: 72

DISPLAY W4091*
Inner: 12 Master: 48

SHELF MOUNT FUNNEL HOLDER

W91034*
Inner: 20
Master: 120



CLEAR VIEW XL REACH FUNNEL 1-1/2 PINT

- Great extra-long reach, multi-purpose funnel for refilling transmission fluid, oil, and other engine fluids
- Splash guard directs fluid where you want it, and reduces spillage
- Integrated hang hole for convenient storage
- Approximate capacity: 780 ml, 1.65 Pints, 26.4 Ounces

NEW



18 IN. LENGTH

W4058*
Inner: 1 Master: 60

CLEAR VIEW EASY-FILL FUNNEL 1 QUART

- Large bowl area is designed to accommodate larger fluid bottles
- Oversized spout increases flow and fill rate
- Splash guard directs fluid where you want it, and reduces spillage
- Approximate capacity: 800ml, 1.7 Pints, 27 ounces



W4057*
Inner: 1 Master: 48

DISPLAY W4097*
Inner: 12 Master: 48

CLEAR VIEW EASY HOLD FUNNEL 2 PINT

- Unique design holds standard quart sized oil bottles while they drain allowing hands-free operation
- Spout features concentric ridges that secure the funnel in your engine's filler hole
- Accommodates nearly all shapes and sizes of 1-quart oil bottles
- Approximate capacity: 800ml, 1.7 Pints, 27 Ounces



W4055*
Inner: 1 Master: 64

DISPLAY W4095*
Inner: 12 Master: 72

CLEAR VIEW LONG REACH FUNNEL 1 PINT

- Upgraded design features thicker construction, extended vent channels, and positive handholds
- Splash resistant guard and extended length provide quicker, cleaner transfer of liquid
- Approximate capacity: 500ml, 1.1 pints, 16.9 ounces



W4052*
Inner: 1 Master: 144

DISPLAY W4092*
Inner: 12 Master: 144

CLEAR VIEW LONG REACH FUNNEL 1/2 PINT

- Great multi-purpose funnel for every day needs such as oil, coolant, gasoline, transmission fluid and more
- Splash guard directs fluid where you want it, and reduces spillage
- Approximate capacity: 200ml, 0.4 Pints, 6.8 Ounces



W4054*
Inner: 12 Master: 168

DISPLAY W4094*
Inner: 12 Master: 168

CLEAR VIEW EASY-FILL FUNNEL 1/2 PINT

- Specifically designed with a shallow spout for use with radiators, but can also be used for oil, gas, and other fluids
- Notched lip works as a bottle rest for easier pouring
- Wide mouth openings for quick, high velocity pouring
- Approximate capacity: 200ml, 0.4 Pints, 6.8 Ounces



W4056*
Inner: 1
Master: 144

DISPLAY W4096*
Inner: 12 Master: 144

3 PC. CLEAR VIEW FUNNELS



- Features three distinct funnels for all your liquid filling needs: multi-purpose long reach funnel, Easy-Fill radiator funnel, and Jr. Jumbo Easy-Fill
- Having a different funnel for each liquid helps prevents cross contamination
- Integrated hang holes for convenient storage
- Approximate capacities: 200, 300, 800ml; 0.4, 0.6, 1.7 Pints; 6.8, 10.1, 27 ounces



DISPLAY W4093*
Inner: 6 Master: 36

W4053*
Inner: 1 Master: 24

Connect with us! TikTok
Limited to stock on hand.

1 QT. FUNNELS W/SPOUTS

- Unique design holds standard quart sized oil bottles while they drain allowing hands-free operation
- Accommodates nearly all shapes and sizes of 1-quart oil bottles
- Spout can also be removed and threaded directly onto most gallon and quart bottles
- Approximate capacity: 800ml, 1.7 Pints, 27 Ounces



FLEX SPOUT
W4087*

Inner: 1 Master: 72

- Accordion style spout retracts to 7 in. (17.8 cm) and extends to 10-1/2 in. (26.7 cm)



NEW

ON/OFF SPOUT
W4090*

Inner: 1 Master: 72

- 18-inch capped tube end keeps oil from dripping during storage, 1-inch threaded outlet

ON/OFF FLEXIBLE SPOUT

- Easy to use on/off valve makes operation easy with oily hands
- Inlet features dual threads to fit most quart and gallon containers
- Extra-long 16 in. (406 mm) overall length allows you to access hard to reach areas within the engine compartment

FITS QT. & GAL. CONTAINERS



W4084*

Inner: 10 Master: 60

FLEXIBLE FUNNEL SPOUT

- Easily add oil, coolant, or window cleaner from a gallon jug to any vehicle without mess or spills
- The double-threaded cap fits both gallon-size containers, standard (37mm) and wide mouth (50mm)
- Uniquely designed air bleed-off valve for faster and smoother fluid flow, up to five times faster
- A special rotary on-off switch helps effectively control the flow providing a positive shut-off
- The accordion-style spout is moldable and will hold its shape allowing for easier and more exact pours
- Patent Pending

CARDED
W4060*

Inner: 6 Master: 36



BULK
W4065*

Inner: 12 Master: 72





CLEAR VIEW™

ADBLUE® DEF FUNNEL W/MANUAL SHUT-OFF

NEW

- This DEF filling funnel is designed to screw directly on to the AdBlue® tank filler neck to avoid spills
- Suitable for the urea tank connection
- Angled design, with plastic cover to protect against dust or dirt
- Built in filter and drip-free shut-off valve
- Embossed level indicators on the side of the transparent plastic funnel
- 1.1L (2.33 pints) capacity with filter
- Diameter 3.74 in. (95mm) Length 9.50 in. (241.3mm)
- Thread Size 1-3/16 in. (30.16mm) diameter. Spout is at a 45 Deg. Angle





W4050*

Inner: 1 Master: 16

DEF DIESEL EXHAUST FLUID FUNNEL

NEW

- Transparent polypropylene construction allows quick and easy monitoring of liquid
- Specifically designed to make pouring DEF from large containers easier into a vehicle
- Specialized double bend shape is designed to stay upright when placed in standard 19 mm (0.75 in.) DEF ports
- High back opening help prevent splashes from hitting the vehicle
- Approximate capacity: 420ml, 0.9 Pints, 14.2 Ounces



CLEAR VIEW™

W4088*

Inner: 12 Master: 72

16 QT. CLEAR VIEW DRAIN CONTAINER

NEW

- Unique clear view design allows you to see fluid level and type (e.g. antifreeze, transmission fluid or engine oil)
- Integrated handles for convenient carrying, pouring, and transport to recycling center
- Deep drain well with angled sides minimize splashing and spilling during oil draining
- High quality tethered plastic caps with rubber gaskets for a leak free seal
- Made from durable polypropylene material
- 16 Quart (15.14 L) capacity



CLEAR VIEW™



W4080*

Inner: 1 Master: 4

CLEAR VIEW 7 QT. PLASTIC DRAIN PAN

- Transparent polypropylene constructions allows quick and easy monitoring of liquid
- Molded handles and pour spout are easy to use
- Chemical and solvent resistant, won't rust or corrode
- Dimensions: 13-1/2 x 11 x 4 in. (343x 279 x 102 mm)
- Approximate capacity: 7 quarts, 1.75 gallons, 6.6 liters

W4068*

Inner: 1 Master: 12



CLEAR VIEW™



*California Residents
Prop 65 warnings see page 24.

OIL DRAIN CONTAINERS

- Heavy wall construction keeps container rigid, even when draining hot engine oil.
- Integrated handles for convenient carrying, pouring, and transport to recycling center.
- Deep drain well with angled sides minimize splashing and spilling during oil draining.
- High quality tethered plastic caps with rubber gaskets for a leak free seal.
- Made from durable polypropylene material.

VIDEO LINK

UPDATED DESIGN





DEEP DRAIN WELL
Angled sides minimize splashing and spilling

LARGER VENTING HOLE
5/8 in. opening, over 300% larger than competition

INTEGRATED HANDLE
For convenient carrying, pouring, and transport

HEAVY WALL CONSTRUCTION
Keeps container rigid, even when draining hot oil

TETHERED PLASTIC CAPS
With rubber gaskets for a leak free seal

Due to continuing improvements, actual product may differ slightly from photo shown.

16 QT. DRAIN CONTAINER & EXTENDIBLE FUNNEL

- Innovative design features a collapsing receiver funnel that can be adjusted up to 10 in. (25 cm) off the surface of the drain pan
- Funnel surfaces engineered with splash reducing surface to to reduce spillage typical with hot engine oil
- Adjustable height brings the opening closer to the drain plug to help eliminate messes
- Made from durable polypropylene and silicone material



NEW



W4082*
Inner: 1 Master: 4



10 QUART
W4076*
Inner: 1 Master: 6
10 Quart Litre Cuarto



24 QUART
W4078*
Inner: 1 Master: 2
24 Quart Litre Cuarto



16 QUART
W4077*
Inner: 1 Master: 4
16 Quart Litre Cuarto

12 QT. JUG FOR USED/ RECYCLED OIL

- Large capacity recycling jug makes it easy to bring your used oil or other fluids to your local recycling center
- 12-Quart (3-Gallon, 11.4 L) capacity



NEW

W4067*
Inner: 1 Master: 10

CAPLESS GAS TANK FUNNEL

- Designed to fill a capless gas tank from a gas can when you are not at a gas pump
- Made from durable polypropylene material



NEW

W4086*
Inner: 20 Master: 120

DRIP TRAYS

- Great for any area where you may experience drips or leaks
- Helps protect many areas of your home and car such as garage floors, car trunks and laundry rooms



NEW



- Chemical resistant polypropylene plastic
- 22 x 22 x 2 in.

W4062*
Inner: 1 Master: 12



COLLAPSIBLE
W4089*
Inner: 1 Master: 60

- Durable plastic material
- Fully open with corners buttoned
- 30 x 30 x 4 in.

DRAIN PANS

- Heavy duty wall construction keeps container rigid, even when draining hot engine oil
- Made from durable polypropylene material
- Integrated handles for convenient carrying and pouring

FILTER HOLDER

8 QUART
W4083*
Inner: 1 Master: 12



- Approximate capacity: 8 quarts, 2 gallons, 7.5 liters
- Dimensions: 15 x 11 x 4.5 in. (381 x 279 x 114 mm)

NEW



20 QUART
W4081*
Inner: 1 Master: 36

- 20 Quart (18.92 L) capacity

Connect with us! TikTok

Limited to stock on hand.

90-DEG. QUICK RELEASE GREASE COUPLER



- 90-degree coupler provides quick installation and removal with one hand
- Heavy duty steel construction with, 4 hardened jaws, high grade rubber seal, & a check valve
- Lock on lever remains connected during use to ensure a leak-free grease delivery
- Max pressure 12,000 psi





W54178*
Inner: 12 Master: 48

XL OIL FILTER PLIERS 4 TO 7"

- Extra-large oil filter pliers with comfort grip handles for large vehicle oil filters from 4 in. to 7 in. (101-178 mm) in diameter
- Adjustable jaws operate at five different positions
- Dipped cushion comfort grip handles
- Durable gripping teeth

W54316*
Inner: 12 Master: 24



6GA 16' BATTERY JUMPER CABLES

- Standard duty for large cars and mid-size pick-up trucks and SUVs
- Red/black PVC-coated insulated clamps for easy identification
- Tangle-free rubber coated cables
- Heavy duty copper jaw clamps
- 6 Gauge, 16 Foot, 400 AMP/500 Peak
- All weather use





W1672*
Inner: 1 Master: 6

6GA 16' BATTERY JUMPER CABLES

- Heavy duty for full size trucks, vans and SUVs
- Red/black PVC-coated alligator clamps for easy identification
- Tangle-free rubber coated cables are highly flexible in cold weather conditions
- Jaws are designed for both side post and top post batteries
- 6 Gauge, 16 foot, 400 AMP/500 AMP peak
- All weather use
- 100% Copper cable provides unparalleled conductivity







W1668*
Inner: 1 Master: 6

100% COPPER CABLES

4GA 20' BATTERY JUMPER CABLES

- Heavy duty for full size trucks, vans and SUVs
- Red/black PVC-coated insulated clamps for easy identification
- Tangle-free rubber coated cables
- Heavy duty copper jaw clamps
- 4 Gauge, 20 foot, 500 AMP/600 AMP peak
- All weather use





W1673*
Inner: 1 Master: 6

4GA 20' BATTERY JUMPER CABLES

- Heavy duty for full size trucks, vans and SUVs
- Red/black PVC-coated parrot clamps for easy identification
- Tangle-free rubber coated cables
- Heavy duty copper jaw clamps
- 4 Gauge, 20 Foot, 500 AMP/600 AMP Peak
- All weather use
- 100% Copper Cable

W1667*
Inner: 1 Master: 6





100% COPPER CABLES

2GA 20' BATTERY JUMPER CABLES

- Commercial duty for tractors, semis, buses, and RVs
- Red/black PVC-coated insulated clamps for easy identification
- Tangle-free rubber coated cables
- High tension parrot style clamps
- 2 Gauge, 20 Foot, 600 AMP/800 Peak
- All weather use





W1669*
Inner: 1 Master: 4



8GA 12' BATTERY JUMPER CABLES

- Medium duty for passenger light cars & pick-up trucks
- Red/black PVC-coated insulated clamps for easy identification
- Tangle-free rubber coated cables
- Heavy duty copper jaw clamps
- 8 Gauge, 12 Foot, 250 AMP/300 Peak
- All weather use

W1671*
Inner: 6 Master: 12





10GA 12' BATTERY JUMPER CABLES

- Light duty for compact vehicles & motorcycles
- Red/black clamps for easy identification
- Tangle-free rubber coated cables
- Heavy duty copper jaw clamps
- 10 Gauge, 12 Foot,150 AMP/250 Peak
- All weather use



W1670*
Inner: 6 Master: 12

*California Residents
Prop 65 warnings see page 24.

3/8" DR. CHAIN DRIVE RATCHET EXTENDER

- Features a heavy-duty chain drive mechanism with a 1:1 transmission ratio that delivers full power to the fastener
- High-strength steel construction ensures years of use
- At 15.4 in. (39 cm) long and a mere 0.63 in. (1.6 cm) thick, you can access hard to reach areas or tight spaces with ease
- Includes a set of adapters that allow you to use 1/4, 3/8, and 1/2 in. Dr. sockets, and 1/4 in. bits
- Withstands up to 53 ft/lb. (71.2 Nm) of torque (Note: not for use with impact tools)
- 3/8 in. drive, and includes an EVA foam storage/organizing tray





NEW

W38129*
Inner: 1 Master: 25

3/8 IN. DR. CLICK TORQUE WRENCH 80 FT/LB.

- 3/8 in. drive click torque wrench features a 45-tooth ratchet for 8 deg. swing Measures up to 80 ft/lbs. (108.5 nm)
- Professional ratchet style with engraved scale
- Chrome plated alloy steel
- Size: 3/8 in. drive. 10 to 80 ft. lbs. (13.5 to 108.5 Nm)





M238*
Inner: 6 Master: 24

NEW



8 PC. LOCKING FOLDING KEY SETS

- Fold out drivers lock in four different positions (closed, 90°, 135°, 180°) for compact and convenient functionality
- Chrome vanadium steel construction with comfortable molded rubber grip
- Color coded handle for quick identification

NEW



SAE HEX
W80292*
Inner: 6 Master: 36
- Sizes: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 in.

MET HEX
W80293*
Inner: 6 Master: 36
- Sizes: 1.5, 2.0, 2.5, 3, 4, 5, 6, 8 mm

STAR
W80294*
Inner: 6 Master: 36
- Sizes: T9, T10, T15, T20, T25, T27, T30, T40





JUMBO COMBINATION WRENCHES

- Drop forged and hardened chrome vanadium steel construction
- Box ends feature rounded corners for increased torque
- Satin chrome finish for corrosion resistance
- Professional style raised panel, full pattern design

NEW



Inner: 5 Master: 20

W369C*	33mm
W370C*	34mm
W371C*	35mm
W372C*	36mm
W373C*	38mm
W374C*	41mm
W375C*	43mm
W376C*	44mm
W377C*	46mm
W378C*	48mm
W379C*	50mm

18 PC. COMBINATION WRENCH SET

- Polished chrome vanadium steel construction
- Handy storage rack for at home or mobile use
- Nickel chrome plated for a durable easy to clean finish
- Metric sizes: 6, 8, 10, 11, 13, 14, 15, 17, and 18 mm
- SAE sizes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, and 3/4 in

METRIC
SAE





NEW

W1077*
Inner: 2 Master: 6



9 PC. MASTER 10MM SOCKET & WRENCH SET

NEW

- Nine different versions of the most popular size socket/wrench on the market
- Features deep and shallow wall, universal, and impact sockets in assorted 1/4 in. and 3/8 in. drive sizes with a combination wrench
- Chrome vanadium alloy steel construction for strength and durability
- Polished nickel chrome and black phosphate finishes resist corrosion





W39001*
Inner: 6 Master: 36

8" PUNCH & CHISEL HOLDER

- Square punch and chisel holder is designed to greatly reduce the risk of injuring your hand when striking with a hammer or mallet
- The ergonomic 4-3/4 in. (12.1 cm) high-impact plastic handle provides an excellent grip with a maximum total length of 8.5 in. (21.6 cm)
- The 1/2 in. (12.7 mm) thick grade 45 high-carbon steel shaft ensures superior strength and durability
- Securely holds punches and chisels up to 1 inch in diameter





W7557*
Inner: 12 Master: 48

9 PC. HAMMER AND PUNCH SET



- High quality and versatile hammer and punch set
- Includes: 10.5 oz. (297 g) machinist hammer, 13 oz. (368 g) nylon install hammer, 2 cold chisels, 4 pin punches and 1 tapered punch
- Hammer handles made of hickory
- Heavy duty rubber grips for safety and better grip while striking the punches and chisels
- Carbon steel material with a black oxide finish to prevent rust and corrosion





M7047*
Inner: 1 Master: 6

8 PC. HAMMER AND PUNCH SET

- High quality and versatile hammer and punch set
- Includes: 10.5 oz. (297 g) machinist hammer, 2 cold chisels, 4 pin punches and 1 tapered punch
- Hammer handle made of hickory
- Hex shanks for better grip and to ensure they do not roll away
- Carbon steel material with a black oxide finish to prevent rust and corrosion





M7046*
Inner: 1 Master: 6

2-IN-1 TRIGGER PULL STAPLE GUN

NEW

- Finger-pull trigger design applies constant pressure and leverage over the staple delivering increased control, reduced kickback, and better accuracy
- Bottom loading staple cartridge with pinch latches for easy staple loading and clearing
- Dual side windows for monitoring staple supply
- Works with most common T50 3/8 in. (10 mm) type staples and 18-gauge brad nails: up to 1.2 mm brad nails with a 2 mm crown, and 8-14 mm (0.315-0.55 in.) length; up to 1.2 mm thick staples with a 10.6 mm to 11.2 mm crown, and 6-14 mm (0.236-0.55 in.) length
- Includes 200 each: 2 mm brads, 10.6 mm and 11.2 mm staples



W2052*
Inner: 5 Master: 20

5-IN-1 HAMMER MULTI-TOOL



- Great for a large variety of household projects
- Tool includes commonly used screwdriver sizes, slotted 3/16 in., slotted 1/8 in., #1 Phillips, and #0 Phillips
- Simply unscrew the bottom of the screwdriver to reveal the 4 screwdrivers
- Perfect tool for building furniture, hanging pictures, and small appliance repairs



W1009*
Inner: 6 Master: 24

2-IN-1 FOLDING SCRAPER UTILITY KNIFE

- Rugged zinc alloy body with a non-slip TPR cushion grip provides superior durability and comfort for hard to cut materials
- Patented dual-function mechanism seamlessly shifts from a standard utility knife to a 45° or 90° scraper for removing gaskets, paint, and adhesives
- Folding design locks in place to ensure safe operation when open and compact storage when folded
- Tool-free blade thanks to a quick release button allows for fast, effortless blade replacements
- Includes five super sharp notched SK5 steel replacement blades



NEW



W707*
Inner: 6 Master: 48

6" RECHARGEABLE SS DIGITAL CALIPER

NEW

- Eliminate the need for battery changes with the convenient built-in rechargeable lithium-ion battery that lasts for months of typical use
- Determine your measurements clearly and easily with an oversized 2.25 in. x 0.9 in. (57 mm x 22 mm) LCD display and a convenient conversion chart on the back
- Auto-power function switches unit on simply by moving the jaws, and shuts off after 5 minutes of inactivity
- Includes 10 in. (25 cm) USB-C cable for quick and easy charging





- Specifications: 0 in. to 6 in. (0 mm to 150 mm) measuring range, ±0.001 in. / 0.02 mm accuracy; 0.0005 in. / 0.01 mm resolution

W80153*
Inner: 6 Master: 24

33 PC. SAW & SCREWDRIVER BIT SET

NEW

- The convenience of a multi-saw and multi-bit driver in one complete kit
- Rotating collar accepts standard hacksaw and reciprocating style blades, and operates as a screwdriver
- Cap opens up for on-board bit storage
- Includes: (3) 6 in. (150 mm) saw blades for diverse cutting needs: 24 TPI blade for metal, 6 TPI blade for drywall/sheetrock, 10 TPI blade for wood; 2-1/4 in. (60 mm) bit extension; (28) 1 in. (25 mm) CrV bits with color coded sleeve for quick identification: 3, 4, 5, 6, 7 mm slotted; #0, (2) #1, (2) #2, #3 Phillips; T10, T15, T20, T25, T27, T30, T40 Star; 3, 4, 5, 6 mm hex; S0, S1, S2, S3 Square: PZ1, PZ2 Pozi



W736*
Inner: 6 Master: 24

25 PC. PRECISION SCREWDRIVER BIT SET

- Comprehensive precision bit set helps you tackle a wide range of delicate repair tasks using a variety of precision bits, including Phillips, slotted, star, hex and more
- Anodized aluminum driver handle is lightweight yet durable and will resist corrosion Includes 24 1 in. (25 mm) Cr-V bits with chrome plated finish: T2, T3, T4, T5 star; TR6, TR8 tamper resistant star; #000, #00, #0, #1 Phillips; 1.5, 2.0, 2.5, 3.0 mm slotted; 1.5, 2.0, 2.5 mm; 0.6, 2.0 mm tri-wing; 0.8, 1.2 mm; 2.3 mm triangle; 0.8 mm pin; 2.6 mm spanner



W9221*
Inner: 6 Master: 48

NEW



*California Residents
Prop 65 warnings see page 24.

HYDRAULIC BOTTLE JACKS

- Heat treated critical stress areas ensure long life performance
- Steel lifting saddle cleated for better load stability
- Oversize cast iron base for extra durability but still easily portable
- Extension top screw adjusts to accommodate work height
- Meets or exceeds ASME PALD-2009



4 TON - W1623*
Inner: 1 Master: 6
Lift Range: 7-5/8 to 14-5/8 in.

6 TON - W1625*
Inner: 1 Master: 4
Lift Range: 8-1/2 to 16-1/4 in.

8 TON - W1628*
Inner: 1 Master: 4
Lift Range: 9 to 18 in.

12 TON - W1632*
Inner: 1 Master: 4
Lift Range: 9-1/4 to 18-1/2 in.

20 TON - W1633*
Inner: 1 Master: 2
Lift Range: 9-1/2 to 17-3/4 in.

2 TON COMPACT TROLLEY JACK

- 4,000 lb capacity
- Maximum height 13"
- Swivel casters for easy positioning

4000 lb. CAPACITY



W1606*
Inner: 1 Master: 1

3 TON TROLLEY JACK & JACK STANDS

- Jack features 6,000 lb. (2.72 mt) capacity
- Lift Range 5-3/4 in. to 17-1/8 in. (14.61 cm to 43.22 cm)
- Heavy-duty steel lifting arm with swivel casters for easy positioning
- Stands feature ratchet style mechanism for easy adjustment, range 11-1/4 in. to 16-3/4 in. (28.58 cm to 42.55 cm)
- Meets or Exceeds ASME PASE-2019







W1619*
Inner: 1 Master: 1

2 TON FLOOR JACK

- 4,000 lb. capacity
- Maximum height 15"
- Swivel casters for easy positioning

4000 lb. CAPACITY





W1614*
Inner: 1 Master: 1

2 TON TROLLEY JACK & STAND

- Jack features 4,000 lb. capacity, maximum height 13", swivel casters for easy positioning
- Heavy duty steel lifting arm
- Lightweight for fast positioning
- Great for cars and light duty trucks
- Tough enamel finish
- Jack stands feature ratchet style for easy adjustment, 10 3/8" to 16 3/8" range and 10 Lock safe settings







W1605*
Inner: 1 Master: 1

2-1/2 TON GARAGE JACK

- A durable flanged steel frame powder coated and assembled with rust-resistant hardware
- Steel lifting saddle, cleated for better load stability
- Heavy-duty steel front wheels and ball-bearing swivel rear wheels provide easy positioning
- Convenient carry handle and only 28 lbs.
- Lift Range: 5-3/8 to 15-1/4 in
- Meets or exceeds ASME PALD-2005

5000 lb. CAPACITY





W1640*
Inner: 1 Master: 1

3-1/2 TON LOW PROFILE FLOOR JACK

- 3-5/8" to 20-1/2" Lift range
- Double-pump mechanism for quick lifting
- Rubber saddle pad included
- Meets or Exceeds ASME PASE-2019

W1645*
Inner: 1 Master: 1





7000 lb. LOAD CAPACITY

2 TON SUV SCISSOR JACK

- Sturdy steel construction with a 4,000 lb. load capacity
- Includes a ratchet wrench for tight spaces and the standard speed wrench
- Lifting range is 3.9 in. to 17.3 in. perfect for the taller SUV's
- 15 in. x 4.75 in., oversized base for added stability and support

W1622*
Inner: 1 Master: 6

4000 lb. CAPACITY







12,000 LB. GVW VEHICLE RAMPS

NEW

- Patented stackable design utilizes reinforced channels to nest and save space while in storage
- On-board rubber anti-slip traction mat helps reduce or eliminate movement on smooth surfaces
- Raised stop end and curved platform provide added strength and stability
- Molded traction treads and gentle 17-degree incline provide easy loading even with low clearance vehicles
- Heavy duty polypropylene construction with slip-resistant rubber feet to further resist sliding while loading



Sold in PALLET QTY



STACKING
W41016*
Pallet: 32

16,000 LB. GVW VEHICLE RAMPS

- Patented stackable design utilizes reinforced channels to nest and save space while in storage
- Raised stop end provides added strength and stability
- Molded traction treads and gentle 17° incline provide easy loading even for low clearance vehicles
- Heavy duty polypropylene construction with slip-resistant rubber feet to resist sliding while loading



STACKING
W41014*
Inner: 1 Master: 1

2-IN-1 Z-FRAME FOLDING CREEPERS

- Easily converts from a creeper to rolling seat
- Padded cushions for added comfort both lying flat and sitting upright
- Six 2 in. (50 mm) swivel casters allow for effortless movement and added stability
- Low profile for added clearance under vehicles
- Powder-coated tubular steel frame with a large cushioned headrest
- Locking pin prevents unwanted movement, and retracts easily for quick conversion
- Replacement casters available: Performance Tool model W85002



36" - W85034*
Inner: 1 Master: 1



LOW PROFILE



- Flat dimensions: 36 in. L x 16-1/2 in. W x 4-7/8 in. H
- Folded dimensions: 18-1/4 L x 14-5/8 H x 16-1/2 in. W
- Flat capacity: 300 lb. Folded capacity: 264 lb.

300 lb. LOAD CAPACITY

- Flat dimensions: 40 in. L x 16-7/8 in. W x 5-1/8 in. H
- Folded dimensions: 20-1/2 L x 16-3/4 H x 16-7/8 in. W
- Flat capacity: 300 lb. Folded capacity: 286 lb.

40" - W85018*
Inner: 1 Master: 1

13,000 LB. GVW VEHICLE RAMPS

- Allows safe performance of repair and maintenance underneath your vehicle
- Molded traction treads and gentle 17° incline provide easy loading even for low clearance vehicles
- Openings in the side and low end allow for easy carrying, positioning, and hanging ramps in storage



W41013*
Inner: 1 Master: 1



UNDER DASH CREEPER

- Provides a comfortable work position for technicians who work under a vehicle dashboard
- Extra wide, 2 in. (5 cm) thick contoured deck with 1.2 in. (3 cm) thick foam padding
- Height adjusts to six different intervals from 17.7 in. to 25 in. (45 to 63.5 cm) to accommodate a wide range of cars, trucks, and SUVs
- Heavy-duty steel frame with folding leg assembly for compact storage
- Eases stress on back and neck while working under the dash
- Locking leg assembly features adjustable padded feet for added versatility and stability
- Specifications: Maximum 300 lb. (137 kg) capacity; Pad dimensions: 43.7 x 2 x 10.2 in. (111 x 5 x 26 cm)



COLLAPSIBLE

W85036*
Inner: 1 Master: 1

FOLDING TOOL CART

- Three shelf collapsible rolling cart features tough polypropylene trays, durable aluminum posts, and 3 in. (75 mm) swivel casters
- Innovative design quickly and easily folds up for compact portability and storage in spaces less than 8 inches in depth - Approximate folded size: 7.5 x 16 x 42 in. (19 x 40 x 107 cm)
- Maximum total load capacity of 200 lb. (90 kg.) distributed evenly
- Each shelf measures approximately 23 x 14.3 x 1 in. deep (58 x 36 x 2.5 cm)



W53990*
Inner: 1 Master: 1

2-IN-1 ADJUSTABLE MOBILE TOOL TABLE

- Two-in-one rolling service table, with removable mobile tool tray
- Keep tools and parts close while under the hood making repairs or conducting diagnostic service
- The worktop can be removed and used under the vehicle as a rolling part and tool tray
- Includes 9 holes for screwdriver storage and a 15 pc. cut-out to hold sockets



W85039*
Inner: 1 Master: 1

*California Residents
Prop 65 warnings see page 24.

250LM LI-ION LIGHTED SAFETY GLASSES

- 250 lumen output with extra cushion for extreme comfort and venting
- Safety lens with anti-UV, anti-scratch, and ANSI approved impact resistance
- Detachable cushion insert allows for more cushion and comfort
- ABS and TPR construction provide more durability
- IP44 water resistance with detachable strap if needed
- High beam: 250 lumens output, Medium beam: 110 lumens output, Low beam: 24 lumens output
- Powered by 3.7V 500 mAh Li-Polymer rechargeable battery and USB-C charging cable included



W2699*
Inner: 8 Master: 32

650LM LI-ION FOLDING HEADLAMP

- Professional grade licensed COB (Chip-On-Board) Strip
- Rigid ABS frame with elastic strap for a comfortable fit
- Frame folds for easy storage
- Outputs: High beam 650 lumens, dimmable down to low beam 65 lumens
- Motion sensor mode for touch-free on/off
- Powered by built-in 3.7V 1500mAh Li-Polymer rechargeable battery
- USB-C charging cable included



W2690*
Inner: 6 Master: 24

300LM LI-ION HEADLAMP W/DIMMER

- Professional grade lifetime Seoul LED with licensed COB (Chip-On-Board) Strip
- Variable output dial adjust light output from 30 to 300 lumens
- ABS frame with elastic strap for a comfortable fit
- High: 300 lumens, 1.5 hour runtime, beam distance 197 ft. (60 m); Low: 30 lumens, 5.5 hour runtime, 46 ft. (14 m) beam distance
- Powered by (1) 14500 500mAh Lithium Ion battery (included)
- USB-C Charging cord included
- IP42 water resistant rating



W2692*
Inner: 8 Master: 32

500+LM DUAL POWER LED HEADLAMP

- Produces a total output of over 500 lumens with combination spot and flood beams of light
- Comfortable and lightweight design with adjustable head strap and pivoting head
- Four operating modes: dual light, area light, spotlight, and 395-400 nm UV light (enter UV light mode by holding power button for 3 seconds)
- UV light great for fluid and glass leak detection, ID and document verification, currency detection and more
- Dual power source capability allows operation on the included li-ion battery pack or regular dry cell batteries (sold separately)

W2621*
Inner: 6 Master: 24



600LM LI-ION MINI HEADLAMP

- High quality ABS housing with heat-reducing aluminum front panel
- Five modes: high, medium, and low white, and red on/flashing
- Powered by integrated 3.7V 200mAh li-polymer battery
- Includes 18 in. (0.5 m) USB-C charging cable
- Specifications: 600 lumens in 10 second Boost Mode, 300 lumens, 1.5 hour runtime, 60 m beam distance on high, 150 lumens, 2.5 hour runtime, 35 m beam distance on medium, 50 lumens, 7 hour runtime, 20 m beam distance on low



W2638*
Inner: 10 Master: 80

500LM LI-ION UTILITY HEADLAMP

- Powered by built-in 500mAh polymer Li-ion battery
- Includes removeable head strap and 6 in. (152 mm) USB-C charging cable
- Unique ability to easily remove light from head strap and use as a utility light
- Integrated magnet for hands free use while off of head strap
- 500 lumen boost mode, 1 hour runtime, 70 ft. (21 m) beam distance. 300 lumen, 1.5 hour runtime, 56 ft. (17 m) beam distance. 150 lumen, 3 hour runtime, 39 ft. (12 m) beam distance.



W2641*
Inner: 8 Master: 32

500LM LI-ION UTILITY LIGHT W/CARABINER

- Powered by built-in 500mAh polymer Li-Ion battery
- Includes 6 in. (152 mm) USB-C charging cable
- Unique ability with clip that also can work with a head strap (not included)
- Aluminum and ABS housing with integrated magnet for hands free use
- 500 lumen boost mode, 1 hour runtime, 70 ft. (21 m) beam distance. 300 lumen medium mode, 1.5 hour runtime, 56 ft. (17 m) beam distance. 150 lumen low mode, 3 hour runtime, 39 ft. (12 m) beam distance.



W2642*
Inner: 8 Master: 32

Connect with us! TikTok
Limited to stock on hand.

1200LM LI-ION CLAMP LIGHT

- Professional grade lifetime OSRAM 2835 SMD LEDs
- Magnetic base included for variable mounting
- Heavy duty ABS and TPR housing
- Metal clamp with rubber grip
- Powered by 3.7V 2600 mAh Li-Ion battery with 6 ft. (1.83 m) USB-C cord included
- High: 1200 lumens, 1 hour runtime, 128 ft. (39 m) beam distance. Low: 400 lumens, 3 hour runtime, 79 ft. (24 m) beam distance



1200 LUMENS



HANDS FREE OPERATION

VARIABLE MOUNTING





W2246*
Inner: 6 Master: 24

1500+LM LI-ION UTILITY WORK LIGHT



- Wide angle LEDs produce over 1500 lumens and distribute a large flood beam of light
- 360° swivel base provides light in any direction and features magnetic base for hands free operation
- USB charging port allows unit to function as a power bank - 5V @ 1A input/output power, battery indicator, (2) integrated 2000 mAh 18650 li-ion batteries
- 2 output settings: 1515 lumens & 850 lumens
- IP54 rating & 1 m USB-C charging cable

W2635*
Inner: 6 Master: 24

1500 LUMENS



HANDS FREE OPERATION



850+LM LI-ION CLAMP WORK LIGHT



- 360-degree rotating and pivoting clamp base assembly provides light in any direction and features rubber surface for positive grip
- Spring-loaded jaws hold tightly to mounting surfaces and objects such as pipes, tables, hoods, beams, etc. up to 1-1/2 in. (37 mm) thick
- Pivoting handle operates as a stand or for hanging/carrying
- LED technology means unit stays cool enough to touch
- Specifications: 886 lumens, 2.5 hr. runtime on high, 500 lumen, 4 hr. runtime on low; 2.5-3.5 hr. charge time; 4000K



NEW

850 LUMENS

W2625*
Inner: 8 Master: 16

HANDS FREE OPERATION

1000+ LM LI-ION POCKET WORK LIGHT

Versatile pocket light produces over 1000 total lumens, and features swivel loop, pocket clip, and magnetic based for hands-free use

- Ultra thin, low profile light bar adjusts 180° for precise illumination in confined areas
- Four output settings: large panel high, large panel low, small light panel, and spot light
- Powered by internal rechargeable 1100mAh 14650 lithium ion battery and includes 20 in. (50 cm) USB-C charging cable
- Specifications: 1010 lumens, 1.5-hour run time, 30 m beam distance on high, 510 lumen, 4-hour runtime. 19 m beam distance on low, 206 lumens, 6-hour runtime, 17 m beam distance for small light panel, and 40 lumens, 8-hour runtime, 18 m beam distance for spotlight





NEW

1000 LUMENS

W2645*
Inner: 6 Master: 24

800+LM FLEX NECK LI-ION TASK LIGHT

- Three lights in one – handheld pocket light, flexible inspection light, and red emergency/night light
- High output area light produces 800+ lumens for lighting up your work area
- Built-in flexible neck inspection light features a 9 in. (23 cm) flexible neck and 120+ lumen lighted end
- Also features red LED strip lights that can be used in low light settings, or flash for emergency use
- Power bank function, pocket clip, magnetic back, and folding swivel hook provided added versatility



FLEXIBLE NECK





SUPER BRIGHT



SWIVEL HOOK

800 LUMENS

W2695*
Inner: 10 Master: 60

400+ LM LI-ION SLIM POCKET LIGHT

- Compact, high performance work light produces 400+ lumens in boost mode
- High output Cree LED and crystal clear convex lens combine to produce a bright beam of focused light
- Anodized aluminum housing with pocket clip, high strength magnetic base, and keychain carabiner
- Includes 12 in. (30 cm) USB-C charging cable





SUPER SLEEK DESIGN

400 LUMENS



W2623*
Inner: 12 Master: 48

1000+LM LI-ION FOLDING UNDERHOOD LIGHT

- Flexible and versatile design allows compact operation as a dual sided area light or fully extend for use as an under hood work light
- High output SMD LEDs provide over 1000 lumens of bright white light
- Swiveling brackets on ends of work light feature magnets and a carabiner hook for hands-free operation
- Multiple operating modes allow use of either side of the work light or both at once
- Innovative folding design stands upright, hangs, or collapses for compact use and storage
- Includes a 1/4-20 thread insert for use with a tripod



W2697*
Inner: 6 Master: 12

INNOVATIVE FOLDING DESIGN



1000 LUMENS

SUPER BRIGHT

500+ LM DUAL-SIDED LED CLIP LIGHT

- Dual front and back folding light panels feature high-powered SMD LED technology that delivers 500+ lumens at any angle
- Carabiner clip, magnetic base and 1/4-20 thread insert for versatile hands-free operation
- Multiple lighting modes: choose from one panel, both panels, spotlight, all three, and flashing
- Specifications: 533 lumens, 3 hour runtime, 30m beam distance with all three lights on; one panel: 290 lumens, 6.5 hour runtime; two panels: 465 lumens, 3.5 hour runtime; spotlight: 155 lumens, 7 hour runtime 6500k color temperature

BOTTLE OPENER



500 LUMENS

NEW

W2643*
Inner: 12 Master: 48

*California Residents
Prop 65 warnings see page 24.

12000+LM LI-ION HD FLASHLIGHT

- Firepoint flashlights combine heat dissipating housing and multi-cluster LEDs to provide a huge flood of light and an intense spot light
- Aggressive anodized aluminum housing with compact design that fits comfortably in the palm of your hand
- IPX4 Water and impact resistance for rugged durability
- Safety power switch prevents accidental power on - double tap to turn light on
- Includes braided 8 in. (20 cm) USB-C charging cable

12000 LUMENS

W2633*
Inner: 4 Master: 36

IPX4 WATER RESISTANCE



NEW

Specifications: 12 x Cree XPG3 LEDs, 12153 lumens on boost mode; 5108 lumens on high; 2855 lumens on medium; 508 lumens on low; 68 lumens in energy-save mode; 3 integrated 18650 2500mAh li-ion batteries

5000+LM LI-ION FLASHLIGHT

- Specifications: 5 x Cree XPG3 LEDs, 5160 lumens, 216 m beam distance in 40-second boost mode; 3141 lumens, 1 hr. runtime, 159 m beam distance on high; 1531 lumens, 4.5 hr. runtime, 110 m beam distance on medium; 503 lumens, 12 hr. runtime, 90 m beam distance on low; 71 lumens, 40+ hr. runtime, 41 m beam distance in energy-save mode; replaceable 20650 2600mAh li-ion battery,
- Includes braided 8 in. (20 cm) USB-C charging cable

NEW

W2632*
Inner: 6 Master: 48



5000 LUMENS

IPX4 WATER RESISTANCE

1400+LM LI-ION LEP FLASHLIGHT

- Laser excited phosphor technology and a focusing lens provide a concentrated and intense beam of light for a
- Specifications: LEP LED, 1484 lumens, 2.5 hr. runtime, 400 m beam on high; 926 lumens, 5 hr. runtime, 180 m beam on medium; 507 lumens, 10 hr. runtime, 130 m beam on low; replaceable 18650 2600mAh li-ion battery, 6.3-7.5 in. (160-191 mm) total length, 1.5 in. (39 mm) diameter head, 0.9 in. (24 mm) diameter barrel
- Includes braided 8 in. (20 cm) USB-C charging cable

NEW

W2636*
Inner: 4 Master: 36



1400 LUMENS

IPX4 WATER RESISTANCE

2000+LM LI-ION FLASHLIGHT

- Aggressive anodized aluminum housing with compact design that fits comfortably in the palm of your hand
- IPX4 Water and impact resistance for rugged durability
- Features magnetic base for hands free use
- Specifications: 3 x Cree XPG3 LEDs, 2009 lumens, 1 hr. runtime, 123 m beam distance on high, 508 lumens, 2 hr. runtime, 75 m beam distance on medium, 214 lumens, 3 hr. runtime, 73 m beam distance on low; replaceable
- Includes braided 8 in. (20 cm) USB-C charging cable



2000 LUMENS



IPX4 WATER RESISTANCE

W2631*
Inner: 6 Master: 48

NEW

395NM UV LI-ION FLASHLIGHT

- FP-Max flashlights combine heat dissipating housing and a high power LED to provide a huge flood of light and an intense spot beam
- IPX4 Water and impact resistance for rugged durability
- Specifications: 395nm UV LED; 25 hour runtime; 2 hour charging time; 10850 3.7V 750mAh li-ion battery; 6.6 in. (168 mm) length; 0.7 in. (18 mm) diameter
- Includes braided 10 in. (25 cm) USB-C charging cable

W2622*
Inner: 6 Master: 48



IPX4 WATER RESISTANCE



UV

750+LM LI-ION FLASHLIGHT

- Specifications: Cree XPG3 LED, 765 lumens on high, 350 lumens on medium; 56 lumens on low; replaceable 16340 700mAh li-ion battery
- Includes braided 8 in. (20 cm) USB-C charging cable

750 LUMENS





IPX4 WATER RESISTANCE

W2624*
Inner: 6 Master: 48

IPX4 WATER RESISTANCE

70LM HEADLAMP



- Professional grade licensed COB Strip
- Durable ABS frame with elastic band for comfort
- Powered by (1) AA battery included
- IP42 water resistant rating
- 70 lumens, 4.5 hour runtime, 60 ft. (20 m) beam distance

70 LUMENS

W2691*
Inner: 8 Master: 32



IP42 WATER RESISTANCE

500LM SLIM FLASHLIGHT

- Pro-Focus telescopic beam from spot to flood
- High 500 lumens, 1 hour runtime, 495 ft. (150 m) beam distance; Low 250 lumens, 4 hour runtime, 264 ft. (80 m) beam distance
- Aluminum alloy construction with IP67 waterproof rating
- Powered by (3) AAA batteries included

BULK
W2721*
Inner: 12 Master: 72

NEW



500 LUMENS

9V BATTERY CLIP-ON LED FLASHLIGHT

- Elegant design snaps easily to a 9V battery giving you a bright, compact pocket light great for everyday carry
- Powered by a standard 9-volt battery (included)
- Specifications: 60 lumens, 7-hour runtime, 600mAh 9V battery

60 LUMENS

NEW



DISPLAY
W2644*
Inner: 20 Master: 160

Sold in INNER QTY.

Connect with us! TikTok

Limited to stock on hand.

1000+LM 120V LED WORK LIGHT

NEW





- Wide angle SMD LEDs produce over 1000 lumens and distributes a large flood beam of light
- 360-degree rotating swivel hook and dual magnets on the back provide hands free operation
- Specifications: 1068 lumens, 36 m beam distance, 1 m impact resistance, 6500K CCT, 80 CRI; AC110-130V, 60Hz Input voltage, 8W; 1.83 M 18AWG STJW Cable; Dimensions: 12 in. H x 1.75 in. D x 1.8 in. W (300 x 44 x 46 mm)
- cUL listed E521138

1000 LUMENS

W2229*
Inner: 6 Master: 24

2 PC. 1" X 10' SELF-TENSIONING TIE DOWNS



- Patented self-tensioning mechanism provides constant load tension to automatically retract when cargo load, moves, settles or shifts
- Strap retracts into handle with the simple push of a button to save time and eliminate tangling
- 10 ft. (3.0 m) long by 1 in. (2.5 cm) wide polyester webbing with vinyl coated steel S hooks
- 500 lb. load limit, 1500 lb. break strength
- Includes 4 soft loop straps for creating versatile tie down points

AUTO RETRACT



W1863*
Inner: 1 Master: 4

NEW

3" X 30' FLAT HOOK TIE DOWN



- 30 ft. (9.1 m) long by 3 in. (75 mm) wide webbing
- 5000 lb. (2272 kg) working load, 15000 lb. (6818 kg) break strength
- Ratcheting mechanism tightens with vise-like gripping power
- Flat steel, brass plated hooks

NEW

W1857*
Inner: 1 Master: 2

LICENSE PLATE HARDWARE KIT

NEW



- Black zinc fasteners deliver superior rust resistance strength and long-lasting durability
- Includes: 4 black zinc steel screws, 4 foam pads, 4 washers, 4 screw caps, and 4 optional nylon inserts for front and rear plates

W5270*
Inner: 1 Master: 100

12V HEATED TRAVEL BLANKET

Sold in MASTER QTY.



- Whether you use this 12v DC heated travel blanket as a seat cover, over your whole body or just on your lap for added warmth you will remain comfortable while traveling in your car, RV or boat
- 3 heat settings, Low/Medium/High, lets you adjust the temperature to just the right amount of heat; up to 149°F (65°C) max
- Built-in automatic 45 minute timer prevents overheating and will not unintentionally drain your battery leaving you stranded
- At approximately 43" x 59" it is large enough for two people and made out of plush polar fleece which easily folds up in the included storage bag with zipper
- Specifications: Input: 12v DC, Max current: 4.5A, Rated power: 50-Watt, In line fuse: 8 Amp, Power cord: 94"

12Volt

W6049*
Inner: 1 Master: 6

15 PC. FUSE ASSORTMENTS

- Industry standard color-coding to indicate amp rating
- Includes: 5A 2 pcs., 10A 3 pcs., 15A 3 pcs., 20A 3 pcs., 25A 2 pcs., 30A 2 pcs



NEW



MICRO2
W5366*
Inner: 6 Master: 36

MICRO3
W5367*
Inner: 6 Master: 36

12V PORTABLE VACUUM CLEANER



- High-powered suction in a compact, portable, and lightweight unit Replaceable and washable HEPA filter captures smaller particles
- Operates directly from a 12V outlet in your vehicle
- Includes 5 attachments: crevice tool, bristled brush, dust brush, 11 in. hose, 10 in. extension
- Specifications: Input: 12V DC, 5A-7A, 80-100 Watts, 10A fuse; Cord Length: 4m (13.33 ft); Vacuum Pressure: 3000 Pa; Decibels: <80 dB; Extension Hose: 11.5in/292mm
- Item weight and dimensions: 2.2lbs/1000g; Dimensions(L x W x H): 13.78 x 4.33 x 4.33 in, (350 x 110 x 110mm)

12Volt



W50012*
Inner: 4 Master: 16

STORAGE BAG

CORDLESS HOT GLUE GUN

W2083*
Inner: 6 Master: 24

CORDLESS DESIGN



USB-C





- USB-C rechargeable cordless glue gun
- Heats up quickly in just 1-2 minutes
- Integrated flip out stand keeps glue gun flat and stable
- LED charge indicator/power indicator
- Includes 6 standard 7 mm (0.27 in.) mini glue sticks
- Runs continuously for 1 hour on a full charge
- GS/CE/EMC/ROHS certified
- Battery can be fully charged in 3 hours

HIGH-VISIBILITY REFLECTIVE SAFETY VEST

NEW



- Certified, and strictly conform to ANSI/ISEA 107-2020 Class 2 and CSA Z96-15 Class 2, Type-R standards
- 3.5 oz. (120 g) 100% polyester mesh fabric
- 2 in. (50 mm) wide highly reflective silver strips, 2 over the shoulders and 2 around the waist are sewn on, 2 large chest pockets
- L/XL: Neck - 8-5/8 in. (22 mm); Shoulder - 19-5/8 in. (50 mm); Chest - 26-3/4 in. (68 mm); Length - 26 in. (66 mm)

W1580*
Inner: 1 Master: 100

*California Residents
Prop 65 warnings see page 24.

12 PK. MICROFIBER TOWELS

- Clean without harsh chemicals, scratching or leaving lint
- Textured cloth lifts and traps dust to prevent scratches
- Nonabrasive for delicate surfaces
- Machine wash and dry
- Multiple cleaning, care, and detailing uses: washing, dusting, polishing, and wiping glass
- Approximate size: 12 in. x 16 in. (30 cm x 40 cm)
- Cloth weight: 200g/m2, 83% polyester, 17% polyamide



W1482*
Inner: 1 Master: 20

Sold in MASTER QTY.

ICE SCRAPER / SQUEEGEE

- 3-in-1 tool for ice breaking, scraping and wiping
- Low-profile design stores anywhere
- Impact-resistant ABS construction



Sold in INNER QTY.



W9166*
Inner: 24 Master: 96

24" SHOP BROOM W/ STEEL HANDLE

- Soft 3-in. bristles for use on smooth to medium surfaces such as garage/shop floors, finished concrete, masonry and more
- Durable polypropylene brush bristles
- 60-in. powder-coated steel handle with universal aluminum ferrule and a handle with a hang hole
- 15/16 in. (23.8mm) diameter steel handle
- Threaded handle insert on both sides for even wear

W28*
Inner: 1 Master: 12

60 INCH HANDLE



Sold in MASTER QTY.



48 X 30" ANTI-FATIGUE FLOOR MAT

- Non-slip neoprene rubber backing holds mat firmly in place for safety and is low profile enough for use as an inside threshold doormat
- 1/4 in. Thick mat dramatically reduces pressure on your feet, knees, lower back and insulates your feet from a cold or slick floor
- High-quality materials used in construction are solvent, oil, and dirt resistant, providing a long service life
- Nominal Measurements: 30 x 48 x 1/4 in. thick

W7702*
Inner: 1 Master: 4

Sold in MASTER QTY.





ICE SCRAPER

- Heavy-duty scraping blade with ice-ripping teeth
- Sturdy construction holds up in extreme weather
- Flat, compact design stores easily
- 9 1/2 in. long with 4 1/4 in. wide blade



W9197*
Inner: 12 Master: 48



Sold in INNER QTY.

EMERGENCY FIRE BLANKET

- 40 in. x 40 in. (1 m x 1 m) Emergency fire blanket
- Designed to throw over small fires to extinguish them before they become out of control
- Designed for use in homes, shops, cars, and RVs
- Rated to extinguish class A, B, and C fires
- Simple to use and less mess than traditional fire extinguishers





W905*
Inner: 8 Master: 32

Sold in INNER QTY.

PLASTIC BOOT TRAY

- Perfect for muddy and wet boots and shoes
- Large enough to hold 3 pairs
- Made of 100% recycled materials

W89018*
Inner: 1 Master: 12

Sold in MASTER QTY.



BOOT & SHOE BRUSH

- Wood blocks with heavy duty steel frame
- Screw down to any surface using the integrated tabs
- Heavy duty poly bristles that last

W9451*
Inner: 1 Master: 6





Wilmar, LLC
P.O. Box 88259 Tukwila, WA 98138
WS-2026-10

e-mail: tools@wilmarllc.com
1-800-426-1262 USA & Canada

*⚠**WARNING:** Cancer and Reproductive Harm -www.P65Warnings.ca.gov

© Copyright 2026 Wilmar, LLC. This material is being furnished for the exclusive use of Wilmar LLC customers and may only be used in connection with the sale of Wilmar®, Performance Tool®, PT POWER®, Northwest Trail®, Project Pro®, Mechanics Products® brand merchandise. Any other use is strictly prohibited. Illustrations and photographs are intended for reference only. Actual products may vary. On occasion, after printing of our catalogs, flyers or other sales aids is completed, the manufacturers may make changes and/or modifications to merchandise which will not be reflected in this literature. Accordingly, when ordering, please inquire of our sales representative as to any such changes or modifications which have been made following publication. Wilmar is not responsible for typographical, grammatical, numerical or hyphenation errors.