







2

Limited to stock on hand.

HOLIDAY/GIFT

INCLUDES 50 MOS POPULAR BITS

44-PC BUTTON CELL BATTERY PACK

 Wide range of popular button cell replacement batteries
 Includes: 12pcs of AG13 (LR44), 6pcs of AG3 (LR41), 12pcs of CR2032, 6pcs of CR2016, 4pcs of CR2025 and 4pcs of CR1616

W483 * Inner: 8 Master: 48

> Selden INNER QUANTITIES

(2) BUTTON CELL BATTERY PACK

> HOLDS 104 BATTERIES

OUT

USB

<mark>104 SLOT BATTERY</mark> ORGANIZER

0000

 Keep all your batteries organized and neatly stored while preventing corrosion and depletion from improper storage
 Features removable battery tester that doesn't require a battery

3.6V LI-ION LIGHT-DRIVER

- This 3.6v Li-ion Cordless Screwdriver with 2 position swivel handle for a pistol grip or straight in-line for tight spaces
- 1/4" hex rapid change chuck features an adjustable 15+1 clutch to deliver the right amount of torque
- Specifications: Battery: 3.6v 1300mAh Lithium-Ion, RPM: 210, Chuck: 1/4" Hex, Max. Torque: 5ft. lbs, Charger: 110v 1.0A, Charging speed: 2 hour

W1562*

Inner: 1 Master: 8



CORDLESS SCREWDRIVER

MAGNETIC CUP HOLDER

Integrated ceramic magnets are covered by a scratch preventing

• The over-large 3-5/8" inside diameter holder

. The built-in ceramic magnetics will stick to any ferrous metal surface

rubber coating but are still powerful enough to hold up to 8 pounds

• Cup holder measures 3-5/8" diameter, 3-5/8" high in the front and

ESSARIES

MAGNETIC

CUP HOLDER

- 1/4" Quick release chuck
- Automatic spindle lock
 Blue LED area light
- 180 RPM and reversible

W50033*

Inner: 1 Master: 10

4-5/8" tall in the back

Inner: 1 Master: 50

W12525*

 Includes storage/carrying case, 3 to 5-hour charger and 24 power tool accessories

CORDLESS DRIVER



W3001*

Inner: 1 Master: 12 Holds up to 104 different size batteries; (45) AA, (36) AAA, (4) 9 volt, (8) C, (6) D and (5) CR2016, CR2025, or CR2032 button cells (Batteries not included)

USB VOLTAGE METER

- Allows you to monitor the charge voltage and current of your digital USB device to ensure the optimal charge rate
- Use to check the output voltage and amperage of mobile charger cables, power usage of your device, and compare the performance of USB chargers
- Specifications: DC voltage: 4-20V, +/-1%; DC current: 0-5A, +/- 1%

W3002 * Inner: 12 Master: 192

While Supplies Last

California Residents Prop 65 warnings see page 36.

performancetool.com

HOLIDAY/GIFT



Limited to stock on hand.

Д

Wilmar, LLC



California Residents Prop 65 warnings see page 36.

5

performancetool.com

STORAGE TUBES PLASTIC STORAGE CONTAINER D HUOK & WOOD WORKING KIT 2000 SET CO SAFETY GEAR KI The reusable clear storage container is convenient, maximizes space, and makes it easy to see the tools. Available in two tube sizes: 9-1/4" x 3-1/2 small & 12-3/8" x 4-5/8" large, allows them 0 1111111 to be merchandised virtually anywhere! **12-PC TRIM REMOVAL KIT 20-PC SCREWDRIVER KIT** Great kit for removing car stereo trim, door/dashboard panels, · Alloy steel blades with satin finish and magnetic tips moldings, trim clips, or any other plastic interior or exterior components · Non-slip molded grips provide better comfort and control 12 multi-function trim tools provide 22 different end designs for TRIM REMOVAL KIT 10 full size screwdrivers: 1/4" x 5", 3/16" x 5", 1/8" x 4", 3/32" x removing interior and exterior trim, panels, and fasteners 3", 1/4" x 1-1/2" slotted; #2 x 4", #1 x 5", #0 x 4", #0 x 3", #2 x Made of durable nylon reinforced polypropylene that resists bending 1-1/2" Phillips 10 precision screwdrivers: 3/32" x 1-1/2" and 1/8" x 1-1/2" and breaking , 1111111, slotted; #0 x 1-1/2" and #00 x 1-1/2" Phillips; T5, T6, T7, T8, T9 **W1760 * Small** and T10 x 1-1/2" Star Inner: 6 Master: 36 **W1761 *** Small Inner: 6 Master: 36 54-PC ELECTRICAL KIT **11-PC SAFETY KIT** · Wire stripper crimper strips and crimps 10-22 AWG, and cuts 4-40 to 10/32 soft steel fasteners Safety glasses feature adjustable length arms and meet ANSI Z87.7-2003 · Voltage tester determines if voltage is present and features insulated probe for 6V and 12V . Knit gloves are lightweight, breathable, flexible, and feature dotted grip for a better grip 54 ELECTRICAL TOOL KIT systems, and test lead with alligator clip (5) Dust masks for non-volatile solid and/or liquid irritants such as dust, dirt, mists and droplets Earplugs designed to reduce noise by up to 29db · Continuity tester determines a closed or open circuit, and test lead with alligator clip and 1AA battery operation (not included) 2-7/8" x 30' Duct tape for anything and everything Contents: Wire stripper/crimper: voltage tester, 3/4" x 30' electrical tape, 30 assorted electric connectors, 20 4" cable ties, continuity tester 0 **W1762 *** Small Inner: 6 Master: 36 W1763 * Small HIIIII Inner: 6 Master: 36 37-PC AUTO TOOL KIT 10-PC HOOK/PICK KIT · Features SAE and metric sizes for a wide range of applications Chrome vanadium steel shafts with comfortable non-slip molded grips · LED magnetic pickup tool: features bright LED light, 8lb capacity magnet and cushion grip handle 1/4" Dr. ratchet and sockets: 3/16, 1/4, 9/32, 5/16, 36 PICK SET 11/32, 3/8, 7/16, 15/32 & 1/2 in.; 5, 6, 7, 8, 9, · Telescoping pickup tool extends 27-1/2" to retrieve objects from confined areas. Requires (3) OL KIT 10.11.12 & 13 mm AG13 button cell batteries (included) • 1/4" Bit Driver with bits: Phillips #0, #1, #2; · Contents: (5) 10" (25.4cm) tools with 4" grips: straight pick, curved hook, 45° hook, 90° pick, Slotted 3/16, 1/4"; Star: T10, T15, T20 and 1" scraper; (4) 6.5" (16.5cm) picks with 3.5" grips: straight; curved, 45°, and 90° & T25; 1/4 in. adapter Also includes: brass detail brush, 0-50 PSI **W1771*** Large pencil tire gauge, 7 oz. funnel, compact flashlight (1AA battery not included), electrical Inner: 4 Master: 16 tape, 6" slip joint pliers, and shop towel W1770 * Large Inner: 4 Master: 16 9-PC WOODWORKING KIT **31-PC HOMEOWNER KIT** · Wallboard jab saw for quick length or plunge · 8oz fiberglass claw hammer with drop forged head and comfortable rubber grip cuts in wood, drywall and soft plastic · T-bevel for angle matching, also features • 9" triple vial torpedo level with magnetic base TOOL KIT ruler markings Retractable aluminum utility knife with blade • 12' x 1/2" locking tape measure A total of 6 clamps (four 1" spring clamps and two 4" ratcheting bar clamps) for • 1/4" hex magnetic bit and socket driving 0000 system features 20 1" power bits, and 6 1/4" holding, gluing or nailing Contents: (2) 4" mini bar clamps, (4) plastic drive sockets spring clamps with 1" opening, wallboard saw with 6" blade, T-bevel, cleaning brush Bit sizes: 3/16", 1/4", 9/32" slotted; #0, #1, #2, #3 Phillips: 1/4" Drive adapter: T10, T15, T20, T25 Star; Metric Hex 3, 4, 5 & 6 mm, W1772* Large SAE Hex: 3/32, 1/8, 5/32 & 3/16" Inner: 4 Master: 16 • 1/4" Dr. socket sizes: SAE: 5/16, 3/8, 7/16, Metric: 10, 12, 13mm W1773* Large NEW daa Inner: 4 Master: 16 TITITITI

Limited to stock on hand.

6

Wilmar, LLC

MEASURING



California Residents Prop 65 warnings see page 36.



Wilmar, LLC

8

Limited to stock on hand.





Prop 65 warnings see page 36.

9

DRIVERS

10 Wilmar, LLC



Limited to stock on hand.





California Residents Prop 65 warnings see page 36.

performancetool.com 11



Limited to stock on hand.

12

TOOL SETS

13

performancetool.com



California Residents Prop 65 warnings see page 36.

PROFESSIONAL HAND TOOLS

8FT PROFESSIONAL HAND TOOL PLANOGRAMS

 Full line of SAE and metric combination wrenches, sets, and various specialty wrenches and sets Complete range of 1/4, 3/8 and 1/2 inch ratchets, drive tools and accessories Comprehensive offering of 3/8 inch and 1/2 inch drive sockets, deep and shallow, and sets in all three drive sizes



TOOL ASSORTMENTS CATALOG



Inner: 1 Master: 1

SOCKETS & TOOL SETS

socket bit socket sets, and mechanic's tool sets

W59408 * - 6 POINT

W59409*-12 POINT

SOCKETS & PLIERS

W59418*-6 POINT

W59419* - 12 POINT

 Additional selection of gripping, cutting and locking pliers, and Phillips and slotted screwdrivers and sets

Inner: 1 Master: 1

Inner: 1 Master: 1

Inner: 1 Master: 1

1/2 IN. DR 12PT DEEP WALL SOCKETS

- 12 point recessed edges for a better fit on a wider variety of fasteners
- · Socket openings are designed to reduce fastener rounding
- . Chrome vanadium alloy steel construction for strength and durability
- · Polished nickel chrome plated finish resists corrosion
- · Large stamping for quick identification



W32632*-1 IN. Inner: 6 Master: 48

W32634 * - 1-1/16 IN. Inner: 6 Master: 48

W32640*-1-1/4 IN. Inner: 6 Master: 48

METRIC

W32710*-10MM Inner: 6 Master: 48

W32712*-12MM Inner: 6 Master: 48

W32713*-13MM Inner: 6 Master: 48

W32714*-14MM Inner: 6 Master: 48

W32715*-15MM Inner: 6 Master: 48

METRIC

W32716*-16MM Inner: 6 Master: 48

W32717*-17MM Inner: 6 Master: 48

W32718*-18MM Inner: 6 Master: 48

W32719*-19MM Inner: 6 Master: 48

W32721*-21MM Inner: 6 Master: 48

W32722*-22MM Inner: 6 Master: 48 W32723*-23MM Inner: 6 Master: 48

W32724*-24MM Inner: 6 Master: 48

W32727*-27MM Inner: 6 Master: 48



3/8 IN. DR 1/4 IN. **12PT SOCKET**

- 12 point recessed edges for a better fit on a wider variety of fasteners
- Socket openings are designed to reduce fastener rounding
- Chrome vanadium allov steel construction for strength and durability Polished nickel chrome plated finish
- resists corrosion Large stamping for quick identification

14 Wilmar, LLC

W38508* Inner: 6 Master: 48



3/8 IN. DR. DEEP SOCKET 18MM Recessed edges

- Socket openings are designed to reduce fastener rounding
- · Chrome vanadium alloy steel
- construction for strength and durability · Polished nickel chrome plated finish
- resists corrosion Large stamping for quick identification

W38418* Inner: 6 Master: 48



WRENCH SETS



7-IN-1 RATCHETING

W30648 * - SAE Inner: 12 Master: 48 Sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"

W30649* - METRIC Inner: 12 Master: 48 Sizes: 8mm, 10mm, 12mm, 13mm,

14mm, 17mm and 19mm

28-PC SAE & MET **WRENCH SET**

- Chrome vanadium steel construction
- · Full length pattern, flat panel design · Hinged storage/organizing rack features fold
- out panels for easy access · Mirror polished chrome finish for easy cleanup
- Standard Sizes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 inch, 6, 8, 10, 12, 13, 14, 15, 17, 18mm
- Stubby Sizes: 3/8, 7/16, 1/2, 9/16, 5/8 inch, 10, 12, 13, 14, 15mm

W1093*

Inner: 1 Master: 6 *While Supplies Last*

32-PC SAE & MET WRENCH SET

 Mirror polished chrome vanadium steel • SAE: 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8. 11/16 & 3/4"

- Stubby: 5/16, 3/8, 7/16, 1/2, 9/16 & 5/8"
- Metric: 6, 8, 10, 11, 12, 13, 14, 15, 17 & 18 mm
- Stubby: 10, 11, 12, 13, 14 & 15 mm

W1099* Inner: 1 Master: 5



7-PC RATCHETING **WRENCH SETS**

· Chrome plated to resist corrosion and fully polished for easy cleanup · Low profile head for access in tight spaces 72 gear teeth for a precise 5 degree sweep · Drop forged chrome vanadium steel

Ш1088* - SAE Inner: 6 Master: 24 Sizes: 5/16, 3/8, 7/16, 1/2, 9/16. 5/8. and 3/4 inch

W1089* - METRIC Inner: 6 Master: 24 Sizes: 8, 10, 12, 13, 14, 15 and 18mm



W1085*-SAE Inner: 6 Master: 12 Sizes: 1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 7/16 x 1/2, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 25/32, 13/16 x 7/8"

W1086 * - METRIC Inner: 6 Master: 12 <mark>Sizes: 6 x 7, 8 x 9, 10 x 11, 12 x 13,</mark> 14 x 15 16 x 17 18 x 19 20 x 22mm



22-PC COMBINATION **WRENCH SET** Chrome Vanadium Steel Construction

FLEX HEAD

- Full pattern raised panel design
- · Chrome plated finish
- Handy storage rack
- Sizes: SAE: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 and 7/8", Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 17 and 19mm

W1084* Inner: 1 Master: 6

> 7 SLOT STUBBY **URENCH** RACK

SAE

METRIC

- Rubberized polymer construction resists fuels and chemicals and has no sharp edges Non-slip slots lock in wrenches while still
- allowing easy one-handed removal Full-size handle folds down to save space in
- toolbox drawer
- Low profile fits shallow tool box drawers

W30594 * - METRIC Inner: 5 Master: 50 Designed for metric sizes wrenches: 8, 9, 10, 11, 12, 13 and 14mm

W30593* - SAE Inner: 5 Master: 50 Designed for SAE sizes wrenches: 5/16, 7/16, 1/2, 9/16, 5/8, 11/16 inch *While Supplies Last*

WRENCH SET RACKS

• Durable impact resistant construction Comfortable molded handle

W30600 * - SAE Inner: 3 Master: 6 Fits SAE sizes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, and 1 in



17 18 19 21 22 and 24mm

15







OFFSE

TOOL STORAGE



16 Wilmar, LLC



California Residents Prop 65 warnings see page 36.

performancetool.com 17

LIGHTING



Limited to stock on hand.



Prop 65 warnings see page 36.

19



LIGHTING



California Residents Prop 65 warnings see page 36.

SPECIALTY TOOLS



22 Wilmar, LLC



BATTERY SERVICE



ROADSIDE



California Residents Prop 65 warnings see page 36.

performancetool.com 25



EQUIPMENT



California Residents Prop 65 warnings see page 36.

performancetool.com 27





M560DB*

Inner: 1 Master: 10



- Convenient fingertip reverse for replacing screws or when binding occurs
- Long lasting multiple planetary gears with ball bearings 3/64 to 3/8-in. chuck capacity

M648 *



Specifications: Chuck Size: 3/8", Air pressure: 90 PSI, Average CFM: 4, Free speed: 1800 RPM, Air inlet: 1/4" NPT, Hose size: 3/8" ID

1/2 IN. X-TREME DUTY IMPACT WRENCH

Commercial duty twin hammer clutch delivers an impressive 1010 ft pounds nut busting torque in reverse to loosen even the most stubborn bolts and 885 ft. pounds in forward for the most demanding jobs · Variable speed and torque settings with two forward and one reverse Balanced motor design for low vibration, comfort during extended use • Air Inlet: 1/4", Hose size: 3/8" ID, Rec. max bolt size 7/8"

M631* Inner: 1 Master: 5

1010 FT/LBS

NRENCH MPACT

Specifications: 1/2" Drive, Max Torque: Reverse - 1010 Ft/Lbs, Forward: 885 Ft/Lbs, Working - 775 Ft/Lbs in 5 seconds, Free Speed: 9500 RPM, BPM: 1200, Air Pressure (PSI): 90, Avg CFM: 7

50 FT. X 3/8 IN. HYBRID HOSE & REEL

- · Retractable reel with fully enclosed case · Automatic roller guide ensures smooth and even recoil
- Extremely flexible blend of rubber and PVC
- · Bend restrictors at each end for long life
- 1/4" NPT brass male fittings
- · Maximum working pressure: 300 PSI, Burst pressure: 900 PSI

M613* Inner: 1 Master: 2

5-PC MAGNETIC TOOL SET

- Rubber coated permanent magnet prevents scratches and sticks to any ferrous metal surface, it even works upside down
- · Heavy duty magnetic pickup tool extends to 24", lifts up to 5lbs and features a comfort grip and pocket clip
- · Contents: Two 18" magnetic tool organizers, 5-3/8" x 9" magnetic parts tray, 6" round magnetic parts tray and magnetic pick up tool

Ш1281* Inner: 1 Master: 6

HEAVY DUTY AIR HAMMER W/5 CHISELS

- · Built-in regulator for precise speed control
- Single piece assembly for longer tool life
- Rubber coated housing for less fatigue and better handling
- Quick change coil spring retainer accepts standard .401
- Parker Shanks
- . Includes 5 chisels: flat, round, spot weld breaker, tapered punch, rivet cutter

M668*



Specifications: Bore size: 3/4". Stroke length: 2.6". Free speed: 3500 BPM. Average CFM: 4.8, Air pressure: 90 PSI, Air inlet: 1/4" NPT, Hose size: 3/8" ID

3-PC PRODUCTION SPRAY GUN SET

• Set includes: One production spray gun with a 1.3mm needle and nozzle set, a second production spray gun with a 1.5mm needle and nozzle set, and a third production spray gun with a 1.7mm needle and nozzle set for heavy solid material

· Fully adjustable spray pattern with control knob on side of guns



Inner: 1 Master: 5

MAX

50 3/8 IN. HYBRID HOSE & REEL

Specifications: Nozzle sizes: 1.3mm, 1.5mm, 1.7mm, Cup capacities: 1000cc, Average CFM: 7-9, Air pressure: 15-45 PSI, Spray pattern of 3-7", Air inlet: 1/4" NPT, Hose size: 3/8" ID





0090

2-PC PRODUCTION SPRAV GIIN

- Set includes: One production spray gun with a 1.3mm needle and nozzle set for single stage materials, and a second production spray gun with a 1.5mm needle and nozzle set for heavy solid materials
- · Locking pressure regulator with gauge



M706*

Inner: 1 Master: 5 Specifications: Nozzle size: 1.3, 1.5mm, Average CFM: 7-9, Air pressure: 15-45 PSI, Spray pattern of 3-7", Air inlet: 1/4" NPT, Hose size: 3/8" ID

3/8 IN. HYBRID AIR HOSES

- Extremely flexible blend of rubber and PVC
- · Bend restrictors at each end for long life
- 1/4" NPT brass male fittings
- · Working pressure: 300 PSI, Burst pressure: 900 PSI

Inner: 1 Master: 10



performancetool.com 29

3/8 IN. DR. AIR RATCHET

 Quality construction triple planetary gear design · Lever throttle features variable speed for precise control

Ball type retainer for positive socket retention

Compact head for easy access in tight areas



Limited to stock on hand.



California Residents Prop 65 warnings see page 36.

performancetool.com

CARGO CONTROL



Limited to stock on hand.

CABLE TIES

BLACK CABLE TIES

· Self-locking cable ties grip securely and provide a quick, inexpensive way to secure wires, hoses, fencing and more

 Nylon 6/6 resins are UL/CE tested for purity, made using ISO 9001 manufacturing and our 100% QC inspections guarantee outstanding performance and consistency . UV stable black nylon, CE lab certified, is approved for use in continuous exposure to outdoor sunlight

500-PIECE 8 IN. Tensile strength: 50lbs

W2940* Inner: 6 Master: 24

100-PC 4 IN. Tensile Strength 18 Lbs W2904* Inner: 10 Master: 100

100-PC 8 IN. Tensile Strength 40 Lbs

W2910* Inner: 10 Master: 100

50-PC 18 IN. Tensile Strength 120 Lbs W2924* Inner: 1 Master: 100

1,000-PC CABLE TIE ASSORTMENT

• Four lengths, color coded • 500 4", 100 6", 300 8" and 100 12" cable ties Great for home, shop, office,

RV, boat and so much more W2925*

Inner: 6 Master: 12

250-PC NYLON CABLE TIE ASSORTMENT

T = T

 Nylon 6/6 resins are UL/CE tested for purity, made using ISO 9001 manufacturing and our 100% QC inspections

- UV stable carbon added to the nylon material of our white and black cable ties provide longer lifespan in sunlight
- Assortment: 100pc 4", 18lb cable ties in black and white / 50pc - 8", 40lb cable ties in white

Ш2942* Inner: 10 Master: 100

50-PIECE CABLE TIE MOUNTS

Self-adhesive 1" square mounts allow you to attach

- cable ties directly to flat solid surfaces Adhesive backing works well for light duty applications but when extra holding capacity is needed use the 2 built-in holes to screw or rivet mount to surface Mounts have 4-way cable tie entry points and allows
- for horizontal or vertical securing

W2944* Inner: 10 Master: 100

100-PC 12 IN. Tensile Strength 50 Lbs W2912*

Inner: 10 Master: 100 100-PC 14 IN. Tensile Strength 50 Lbs

100-PIECE 15 IN.

 Tensile Strength: 120lbs (55kg) Ш2941* Inner: 10 Master: 30

CABLE TIE

CABLE TIE MOUNTS

H

18

40

A



NEW



250-PC CABLE

easy to find

W2918*

W2945 *

Inner: 10 Master: 100

each; 40lb tensile strength

Inner: 1 Master: 12

TIE ASSORTMENT

· Handy assortment for the home, office, or shop

· Clear plastic tubes keep small pieces in one place,

• 4 inch: Yellow, blue, 25pcs each; 18lb tensile strength

• 6 inch: White, black, 25pcs each; 18lb tensile strength

· 8 inch: Red, green, 25pcs each; white, black, 50pcs

25-PIECE 8 IN. ID

securing them together at the same time

continuous exposure to outdoor sunlight

MARKER CABLE TIES

• These ID marker cable ties have a 1 x 0.6" label area which

allows you to mark wires or bundles for identification while

Nylon 6/6 resins are UL/CE tested for purity, made using ISO

. UV stable black nylon, CE lab certified, is approved for use in

NEW

guarantee outstanding performance and consistency

9001 manufacturing standards and our 100% QC inspections

WHITE CABLE TIES

· Self-locking cable ties grip securely and provide a quick, inexpensive way to secure wires, hoses, fencing and more

• Nylon 6/6 resins are UL/CE tested for purity, made using ISO 9001 manufacturing and our 100% QC inspections guarantee outstanding performance and consistency . UV stable white nylon, CE lab certified, is approved for use in continuous exposure to outdoor sunlight

100-PC 8 IN.

 Tensile Strength 40 Lbs W2908* Inner: 10 Master: 100

100-PC 12 IN. Tensile Strength 50 Lbs W2913*

Inner: 10 Master: 100

100-PC 14 IN.

 Tensile Strength 50 Lbs Ш2917* Inner: 10 Master: 100

50-PC 18 IN.

 Tensile Strength 120 Lbs Ш2926* Inner: 10 Master: 100

10-PIECE 14 IN. **STEEL CABLE TIES**

- Ties are made of 304 grade stainless steel which is high strength, nonflammable and offers excellent corrosion
- resistance for an uncompromising wear resistance Advanced roller ball self-locking design for superior
- holding strength and secure installations Low profile design and fully rounded edges with smooth surfaces to protect cables from long term damage

W2946*

Inner: 20 Master: 200 Tensile strength: 220lbs (100kg)

AMAZ

W2947* Inner: 20 Master: 160 • Tensile strength: 396lbs (180kg)

NEW

300-PC NYLON CABLE TIE ASSORTMENT

- Nylon 6/6 resins are UL/CE tested for purity, made using ISO 9001 manufacturing and our 100% QC inspections guarantee outstanding consistency, performance, and durability
- material of our white and black cable ties provide longer lifespan in sunlight compared to most other brands

Inner: 10 Master: 100

ADJUSTABLE CABLE TIE GUN

• High impact nylon and fiberglass body

- Adjustable bundling pressure
 - Flush cuts end of cable tie • Capacity: 3/32" (2.4mm) to 3/16" (4.8mm) wide, up to 1/16" thick
 - W2919*

Inner: 6 Master: 48







W2943*

UV stable carbon added to the nylon



8 CABLE TIES

W2915* Inner: 10 Master: 100

CLEANING

BLACK NITRILE GLOVES

 Provides a protective barrier against dirt, grime, oil, chemicals and solvents Textured fingertips for better grip Comfortable fit and feel • Powder/latex free

NITRILE GLOVES

100 Gloves per box

W89011 * - MEDIUM

Inner: 1 Master: 10

W89012* - LARGE Inner: 1 Master: 10

W89013 * - X-LARGE Inner: 1 Master: 10

3 PAIR LEATHER WORK GLOVES

- · Reinforced palms and knuckles offer additional protection and comfort • Durable yet soft split leather is flexible and comfortable for use in a variety of work environments
- · Cotton lined backing allows for improved airflow and breathability . Thick fabric on the fingers and palm provide added protection and
- excellent grip

W89020* Inner: 1 Master: 24

W30*

Inner: 1 Master: 24



17 IN. ALUMINUM DUSTPAN

· Double riveted, looped tubular steel handle provides strength and rigidity, and easy storage

• Dimensions: 16-1/2 in. (42cm) wide at mouth, 9 in. (23cm) depth, 2 in. (5cm) high at the back

• Extra-large 17" aluminum metal dustpan for the heaviest of clean ups

. Lightweight, corrosion resistant aluminum is half the weight of steel ones

Wide design with low profile leading edge is great for large clean-up jobs

JERSEY COTTON KNIT GLOVES

- All-purpose gloves made of a cotton polyester blend that is lightweight but durable and can also be worn as liners for outer gloves
- · Reusable jersey material is lightweight, breathable, comfortable and easy to clean
- Approximately 10" long (250mm) with stretchable cuff, and flexible material to fit most adult size hands



2-PC BRASS DETAILING BRUSH SET

- Features contoured offset handles for better access, and sure-grip grooved PVC handles
- The brass bristles make these non-sparking, non-magnetic, and corrosion resistant wire brushes
- Each detail brush is 1/2 in, wide. the small has 1 in bristles and the
- medium has 3 in bristles Set includes a small 6-1/2 in, long
- and a medium 8-5/8 in. long brush

W4951*

Inner: 12 Master: 72

6-PC DETAILING BRUSH SET

- · Features contoured offset handles for better access, and sure-grip grooved PVC handles Nylon bristles for tile and grout, brass coated for
- dirt, and paint and steel bristles for everything else • Includes six different brushes, three small 6-1/2
- in. long and six medium 8-5/8 in. long
- Each detail brush is 1/2 in. wide, the small has 1 in. bristles and the medium has 3 in. bristles W4950*

Inner: 6 Master: 36



NEW



- Infused with rice and charcoal to provide a better clean
- · Lightly abrasive to remove even the toughest grease and grime
- . Designed for those heavy duty jobs that cover your hands in grease, soot, tar, paint, dirt, grime, oils, adhesives and more
- · Ingredients: sodium palmate, sodium palm kernelate, oryza sativa powder, (rice + bamboo charcoal), glycerin, fragrance, Decyl Glucoside (APG), water

20235*

Inner: 8 Master: 128



40-PK INDUSTRIAL MECHANIC WIPES NATURA

MECHANIC'S

BAR SOAP

- The heaviest duty wipes you will ever find! Water saving, moisturizing, eco-friendly and a fresh lemon scent
- · Powerful ingredients combine three different oils that clean the toughest of dirt, grease, grime, oil, paint, tar, sludge, silicone, adhesives and more
- . Unlike mostly water-based wipes that only clean water-based materials, PT wipes feature lemon oil, olive oil, and mineral oil to remove everything the other wipes leave behind · Certified non-toxic, non-Prop 65 ingredients are safe, anti-bacterial, gentle on your
- hands, and still clean thoroughly

Inner: 1 Master: 16



 Sizes included: (100) - 5mm x 7.6cm , (50)
 - 5mm x 15 cm, (25) - 12mm x 19.5 cm, (25) -16mm x 21 cm and (25) - 20mm x 21.5 cm

W1470* Inner: 6 Master: 48





FOR MECHANICS













WINTER ITEMS



Prop 65 warnings see page 36.



P.O. BOX 88259 TUKWIIA, WA 98138

36 Wilmar, LLC

e-mail: tools@wilmarllc.com• 1-800-426-1262 USA & Canada 1-800-352-9185 Fax



WS-2022-10

*AWARNING: Cancer and Reproductive Harm -www.P65Warnings.ca.gov

© Copyright 2022 Wilmar, LLC. This material is being furnished for the exclusive use of Wilmar customers and may only be used in connection with the sale of Wilmar®, Performance Tool®, PT POWER®, airTIGHT™, Northwest Trail®, Project Pro®, Mechanics Products® and ATAK® brand merchandise. Any other use is strictly prohibited. Illustrations and photographs are intended for reference only. Actual products may vary. On occasion, after printing of our catalogs, flyers or other sales aids is completed, the manufacturers may make changes and/or modifications to merchandise which will not be reflected in this literature. Accordingly, when ordering, please inquire of our sales representative as to any such changes or modifications which have been made following publication. Wilmar is not responsible for typographical, grammatical, numerical or hyphenation errors.